

NAVAL POSTGRADUATE SCHOOL Monterey, California



SELECTE DO NOV 18 1991

THESIS

F-18 ROBUST CONTROL DESIGN USING H2 AND H-INFINITY METHODS

by

Gerald A. Hartley

September 1990

Thesis Advisor:

Prof. D. J. Collins

Approved for public release; distribution is unlimited.

91-15831


UNCLASSIFIED SECURITY CLASSIFICATION OF THIS PAGE

REPORT DOCUMENTATION PAGE					Form Approved OMB No 0704-0188		
la REPORT SECURITY CLASSIFICATION	16 RESTRICTIVE MARKINGS						
2a SECURITY CLASSIFICATION AUTHORITY		3 DISTRIBUTION/AVAILABILITY OF REPORT					
2b DECLASSIFICATION/DOWNGRADING SCHEDULE		Approved for public release; distribution is unlimited.					
4 PERFORMING ORGANIZATION REPORT NUMBE	R(S)	5 MONITORING ORGANIZATION-REPORT NUMBER(S)					
6a NAME OF PERFORMING ORGANIZATION	7a. NAME OF MONITORING ORGANIZATION						
Naval Postgraduate School	31	Naval Postg	raduate Sch	1001			
6c. ADDRESS (City, State, and ZIP Code)		7b ADDRESS (City, State, and ZIP Code)					
Monterey, CA 93943-5000		Monterey, CA 93943-5000					
8a. NAME OF FUNDING / SPONSORING ORGANIZATION	8b OFFICE SYMBOL (If applicable)	9 PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER					
8c. ADDRESS (City, State, and ZIP Code)		10 SOURCE OF F	UNDING NUMBER	S			
		PROGRAM ELEMENT NO	PROJECT NO	TASK NO	WORK UNIT ACCESSION NO		
	<u></u>	<u> </u>					
11. TITLE (Include Security Classification) F-18 Robust Control Design Usi:	ng U2 and U-inf	initu Mathad	ls.				
	ng nz and n-ini	Threy Mechoc					
12. PERSONAL AUTHOR(S)	-						
Hartley, Gerald A. 13a TYPE OF REPORT 13b TIME CO	OVERED	14. DATE OF REPO	RT (Year Month	Day) 15	PAGE COUNT		
					120		
16 SUPPLEMENTARY NOTATION The views expressed in this thesis are those of the author and							
do not reflect the official policy or position of the Department of Defense or the							
U.S. Government.							
17 COSATI CODES 18 SUBJECT TERMS (Continue on reverse if necessary and identify by block in					Ť		
mpdern control theory, a intinity control theory, az							
Control Theory, Multivariable Robustness, F-18 Control							
Docign or Synthesis, Super-Augmented Aircraft 19 ABSTRACT (Continue on reverse if necessary and identify by block number)							
The open loop F-18 longitudinal control system is stabilized using H2 and							
H-infinity singular value loop shaping for a multivariable feedback control system. The							
H2 and H-infinity control theories involve suppressing the sensitivity matrix transfer							
function at the lower frequencies for high gain performance and suppressing the trans-							
missivity at higher frequencies, i.e. loop shaping. The singular value Bode plot is used							
for MIMO systems in analogy with the classical Bode frequency analysis for SISO systems. There are two control inputs with input 1 controlling the stabilator and input 2 control-							
ling the leading edge flap and trailing edge flap in tandem. There are two outputs:							
angle of attack and pitch rate. The H-infinity design achieved a separation in that in-							
put 1 controlled angle of attack and input 2 controlled pitch rate. The first design is							
an optimum design which imposed no limitations on control input. A cost penalty associ-							
ated with control actuator limitations is imposed to achieve a limited performance design.							
20 DISTRIBUTION TANAH ADHITY OF ADSTORY							
20 DISTRIBUTION/AVAILABILITY OF ABSTRACT SAME AS F	21 ABSTRACT SECURITY CLASSIFICATION Unclassified						
22a NAME OF RESPONSIBLE INDIVIDUAL	RPT DTIC USERS	22b TELEPHONE (Include Area Code) 22c OFFICE SYMBO.					
Dr. D. J. Collins	(408) 646		670				

SECURITY CLASSIFICATION OF THIS PAGE

BLOCK #18 (CONTD)

Feedback Properties of a Multivariable Feedback Controller, H infinity Small Gain Problem





Approved for public release; distribution is unlimited.

F-18 Robust Control Design Using H2 and H_{∞} Methods

by

Gerald A. Hartley
Aerospace Engineer, Naval Weapons Center
B.A.A.E., Ohio State University, 1964

M.S. (Physics), University of Denver, 1971

Submitted in partial fulfillment of the requirements for the degree of

MASTER OF SCIENCE IN AERONAUTICAL ENGINEERING

from the

NAVAL POSTGRADUATE SCHOOL September, 1990

Author:

Gerald a. Hartley

Gerald A. Hartley

Approved by:

Daniel J. Collins, Thesis Advisor

ous V. Schwidt

Louis V. Schmidt, Second Reader

E. Roberts Wood, Chairman

Department of Aeronautics and-Astronautics

ABSTRACT

The open loop F-18 longitudinal control system is stabilized using H2 and H_{∞} singular value loop shaping for a multivariable feedback control system. The H2 and H_{∞} control theories involve suppressing the sensitivity matrix transfer function at the lower frequencies for high gain performance and suppressing transmissivity at higher frequencies, i.e. loop shaping. singular value Bode plot is used for MIMO systems in analogy with the classical Bode frequency analysis for SISO systems. two control inputs with input 1 controlling the stabilator and input 2 controlling the leading edge flap and trailing edge flap in tandem. There are two outputs: angle of attack and pitch rate. The H_{∞} design achieved a separation in that input 1 controlled angle of attack and input 2 controlled pitch rate. design is an optimum design which imposed no limitations on control input. A cost penalty associated with control actuator limitations is imposed to achieve a limited performance design.

TABLE OF CONTENTS

ī.	INTRODUCTION	1
II.	PROPERTIES OF MULTIPLE-INPUT MULTIPLE-OUTPUT (MIMO)	
	FEEDBACK CONTROL SYSTEMS	3
	A. MATRIX NORMS, SINGULAR VALUES AND THEIR APPLICATION	
	TO FEEDBACK PROPERTIES OF MIMO SYSTEMS	3
	B. SINGULAR VALUE LOOP SHAPING FOR MIMO ROBUSTNESS	6
III.	H _ω CONTROL DESIGN	11.
	A. THEORETICAL APPROACH	11
	B. DETERMINATION OF WEIGHTING CONSTRAINTS	13
	C. DISCUSSION OF H2 AND H_{∞} DESIGN ITERATION	16
IV.	F-18 CONTROL DESIGN	18
	A. F-18 OPEN LOOP STATE SPACE MODEL	18
	B. DESIGN APPROACH	23
	C. DESIGN RESULTS OF THE OPTIMUM H_{∞} CONTROLLER	25
	1. H_{∞} INPUT RETURN DIFFERENCE ANALYSIS	36
	2. PRECISION LONGITUDINAL CONTROL MODES	38
	D. DESIGN RESULTS OF LIMITED PERFORMANCE CONTROLLER	47
	1. LIMITED PERFORMANCE H_{∞} PLANT INPUT PROBLEM	52
	2. LIMITED PERFORMANCE PRECISION LONGITUDINAL MODES	53
٧.	CONCLUSIONS AND RECOMMENDATIONS	66
APPEI	NDIX A: F-18 MATLAB SCRIPT FILES	68
ADDE	NOTY R. F-12 STATE SDACE MODEL MANDICES	9.5

TABLE OF CONTENTS (CONTINUED)

LIST	OF	REFERENCES		•-•	• • •	•••	• • •	•••	• • • •	• • •	• • • • • •	110
INITI	AL	DISTRIBUTIO	N LIST	•-• • • •								111

ACKNOWLEDGMENTS

C..e feels a lot of satisfaction and relief when a thesis project is completed since it required such a concentrated effort and dedication of time. It is only then that one can truly appreciate the efforts of others who made it possible.

I am especially grateful to Professor Dan Collins who suggested the topic and gave me guidance when I needed guidance. I appreciated the fact that he made himself readily available for me to ask questions and was very helpful in resolving them.

I also would like to thank Professor Lou Schmidt who served as second reader and even though I never had him for a class he was very encouraging to me during my stay at the Naval Postgraduate School. As far as receiving advice and encouragement I also wish to thank Professor Jerry Lindsey who went beyond his role as academic advisor.

Finally, I wish to thank my wife Charlotte and my two sons Alan and Daniel who have had to sacrifice greatly to allow me to have the opportunity to attend Naval Postgraduate School. Without her support and love this thesis would not have been possible.

I. INTRODUCTION

Classical control analysis for single-input single-output (SISO) systems have the use of Bode plots, root locus techniques, Nyquist diagrams and simple time response analysis to judge system performance and stability margins. Stability margin rates the system's ability to withstand disturbances and/or modeling error of a given magnitude and still remain stable. The bandwidth in a Bode plot, defined as the maximum frequency at which the system response does not fall more than 3 db from steady state gain, is easily shown for SISO systems. Classical techniques usually aren't applicable to determining the stability margins and performance characteristics of MIMO systems.

The stability margin and system performance of MIMO systems have been successfully evaluated using the techniques of singular value Bode plots of return difference matrices and loop gain matrices in frequency domain analysis by Doyle, Stein and Safonov [Refs. 1, 2]. A MIMO system is said to have good robustness if the system has a large stability margin, good disturbance attenuation and low sensitivity (Ref. 2).

H-infinity (H_{∞}) and frequency-weighted linear quadratic gaussian (H2 LQG) apply singular value loop shaping to MIMO systems. Singular value loop shaping involves shaping the system feedback gains over a specified frequency range in order to meet system gain requirements at the lower frequencies and disturbance

attenuation specifications at the higher frequencies. Gordon [Ref.3] developed numerical optimization techniques for singular value loop shaping which manipulates the system feedback gains as design parameters.

Textbook examples of H2 and H_{∞} theories have been shown by Postlethwaite [Ref. 4] and Chiang [Ref. 5]. Chiang discusses the design of a hypothetical fighter design at Mach 0.9 and 25,000 feet altitude. Rogers and Hsu [Refs. 6 and 7] developed H_{∞} compensated designs for the X-29 for a two- and three- input longitudinal control system.

The purpose of this thesis was to develop a H_{∞} longitudinal controller for the F-18 for one flight condition at Mach 0.6 at 10,000 feet altitude. The open-loop F-18 longitudinal model was developed by Rojek [Ref. 8] and simplified by the author. Chapter II discusses the properties of MIMO feedback control systems, use of the return difference matrix, and the basic concepts of singular value loop shaping. Chapter III presents the background and concepts of the H2 and H_{∞} theories. Chapter IV describes the F-18 controller design beginning with the open loop F-18 uncompensated model, the design specifications, the design approach and the design results. The conclusions are given in Chapter V. The appendices contain the MATLAB computer code and F-18 state space models.

II. PROPERTIES OF MULTIPLE-INPUT MULTIPLE-OUTPUT (MIMO) FEEDBACK CONTROL SYSTEMS

The robustness of a MIMO system includes good stability margin, low sensitivity to plant and controller variations, and good disturbance rejection to high frequency disturbance inputs. The above robustness properties can only be modified by altering the feedback paths and the associated gains. The following chapter will illustrate the concepts of feedback manipulation to achieve a good robust design upon which the H2 and H_{∞} methods in Chapter III are based. Rogers [Ref. 6] and Hsu [Ref. 7] describe in detail the feedback properties of multivariate systems so the current chapter will not attempt to examine this subject in great depth. Matrices will be denoted by bold upper-case letters and vectors by bold lower-case letters in this text.

A. MATRIX NORMS; SINGULAR VALUES AND THEIR APPLICATION TO FEEDBACK PROPERTIES OF MIMO SYSTEMS.

Singular values of matrices have been found in the last decade to be extremely useful in extending the frequency domain Bode analysis of classical SISO theory to singular value Bode plots for MIMO systems [Refs. 1,2 and 5]. The singular values of a matrix $\bf A$ of rank $\bf r$ where $\bf A$ $\bf c$ $\bf c$ $\bf m$ are denoted by $\bf \sigma_i$ and are defined as the non-negative eigenvalues of $\bf A$ $\bf m$ where $\bf A$ denotes the complex conjugate transpose of $\bf A$. The singular values are ordered such that $\bf \sigma_1 \ge \bf \sigma_2 \ge \ldots \ge \bf \sigma_n$. The maximum singular value $\bf \sigma_1$ can be expressed in terms of the spectral norm:

$$|A|_2 = \max_i \lambda_i^{1/2} (A^H A) = \sigma_{\max}(A) = \bar{\sigma}_1$$
 (2-1)

where λ_i is the ith eigenvalue of $\mathbf{A}^H\mathbf{A}$. The singular values of a complex nXn matrix \mathbf{A} , σ_i , are the non-negative square roots of the eigenvalues of $\mathbf{A}^H\mathbf{A}$:

$$\sigma_{i}(A) = \lambda_{i}^{1/2}(A^{H}A) \tag{2-2}$$

The maximum singular value σ_{\max} is given by σ_1 and the minimum singular value σ_{\min} is equal to σ_n since the σ 's are ordered from σ_1 in monotonically descending order down to σ_n .

There are 12 useful properties of singular values listed by Chiang [Ref. 5] but the three most important for the purposes of this paper are:

$$1.\overline{\sigma}(A) = \max_{x \in C} \frac{\|Ax\|_2}{\|x\|_2} = \sigma_{\max}$$

$$2.\underline{\sigma}(A) = \min_{x \in C} n \frac{\|Ax\|_2}{\|x\|_2} = \sigma_{\min}$$

$$3.\bar{\alpha}(A) \leq |\lambda_{\tilde{x}}(A)| \leq \overline{\sigma}(A)$$

Property 1 is important because it establishes the greatest singular value of a matrix A as the maximum gain of the matrix over all possible directions of x. Property 2 is important because the least singular value of a matrix A is the minimum gain of a matrix A over all possible values of x. Property 3 simply states that the absolute value of all eigenvalues are bounded by the maximum and minimum singular values.

Singular values are useful to define the maximum and minimum gains of the return difference matrix (to be discussed in the next section). For a given plant G(s) the H_2 -norm and the H_{∞} -norm are defined in terms of singular values by:

$$\|\mathbf{G}\|_{2} \Delta \sqrt{\int_{-\infty}^{\infty} \sum_{j=1}^{n} (\sigma_{j}(j\omega))^{2} d\omega}$$
 (2-3)

$$|G|_{\infty} \triangleq \text{supremum } \overline{\sigma}(G(j\omega))$$
 (2-4)

The supremum stands for least upper bound. Minimizing these norms form the basis of $\rm H_2$ and $\rm H_{\infty}$ theory. The band of maximum and minimum singular values plotted as a function of the frequency in a singular value Bode plot shows the degree of disturbance rejection, stability, and performance or system gain as reflected in the system bandwidth. The need to suppress high frequency plant disturbances suggests shaping the loop singular value so as to have low system gain at high frequency. The need to have a small sensitivity to measurement noise requires suppressing the response at the lower frequencies. Kwaakernak (Ref. 9) discusses for SISO

systems the shaping of the feedback response by reducing the scalar sensitivity S(s) at the lower frequencies and the transmissivity T(s) at the higher frequencies. Note that the transmissivity is also called the complementary sensitivity.

B. SINGULAR VALUE LOOP SHAPING FOR MIMO ROBUSTNESS.

Consideration of Figure 2.1 will assist in developing the concept of singular value loop shaping. There are two sources of disturbances: plant disturbance and reference noise. The controller is F(s), the plant is G(s), the input is r, the control output from F(s) is r, and the output of the system is r. The output return difference matrix is r is r is r while the input return difference matrix is r is r is r in r while the input and r are the input and output loop gain matrices,




Figure 2-1 MIMO Feedback Control System

respectively. A large loop gain, L(s)=G(s)F(s), will suppress the

plant disturbance but will tend to amplify measurement noise. The transfer matrix from \mathbf{d} to the output \mathbf{y} is denoted by $\mathbf{S}(\mathbf{s})$, the transfer matrix from \mathbf{r} to \mathbf{y} is called $\mathbf{T}(\mathbf{s})$ and the transfer matrix from \mathbf{r} to \mathbf{u} is denoted by $\mathbf{R}(\mathbf{s})$. The sensitivity matrix $\mathbf{S}(\mathbf{s})$ is given by

$$S(s) \triangleq [I+L(s)]^{-1} \qquad (2-5)$$

The complementary sensitivity matrix T(s) is found by

$$T(S) \triangleq L(S) [I+L(S)]^{-1} = [I-S(S)]$$
 (2-6)

There is no common name for R(s) which plays a part in penalizing the control deflections and is given as follows:

$$\mathbb{R}(S) \triangleq \mathbf{F}(S) [\mathbf{I} + \mathbf{L}(S)]^{-1}$$
 (2-7)

The concept of singular value loop shaping requires high loop gain at low frequency to drive the sensitivity matrix $\mathbf{S}(\mathbf{s})$ to small values thereby suppressing plant disturbances. The sensitivity matrix will approach \mathbf{I} at the higher frequencies. The complementary sensitivity matrix $\mathbf{T}(\mathbf{s})$ will go towards zero at higher frequencies.

Since $\mathbf{S}(\mathbf{s})$ is the closed-loop transfer matrix from the plant disturbance \mathbf{d} to the plant output \mathbf{y} , the singular values of $\mathbf{S}(\mathbf{s})$ determine the degree of plant disturbance attenuation of the system. The disturbance rejection specification is usually written as:

$$\overline{\sigma}\left(S^{2}(j\omega)\right) \leq W_{1}^{-1}(j\omega)^{2} \tag{2-8}$$

where $|\mathbf{w_i}^{-1}(\mathbf{j}\omega)|$ is the disturbance attenuation factor. The disturbance attenuation factor is made a function of frequency so that a different attenuation factor can be specified for each frequency.

Consideration of figure 2.2 will lead to development of the stability criteria as applied to MIMO systems. The effect of




Figure 2-2 Additive/Multiplicative Perturbations

additive and multiplicative perturbations can be determined by the use of singular value plots of R(s) and T(s). The following discussion assumes that the system without the perturbations is stable.

If Δ_A is set to zero and $\sigma_{\max}(\Delta_M(j\omega))$ is taken to be the definition of the size of $\Delta_M(j\omega)$ then the smallest $\Delta_M(s)$ for which the system is unstable is [Ref. 5]

$$\overline{\sigma}(\Delta_{\mathbf{M}}(\mathbf{j}\omega)) = \frac{1}{\overline{\sigma}(\mathbf{T}(\mathbf{j}\omega))}$$

multiplicative perturbation that the system can stand without going unstable. Hence the stability margin will be greater. If $\Delta_M=0$ then the smallest $\Delta_A(j\omega)$ that makes the system unstable is

$$\overline{\sigma}\left(\Delta_{\mathbf{A}}(\mathbf{j}\,\boldsymbol{\omega})\right) = \frac{1}{\overline{\sigma}\left(\mathbf{R}\left(\mathbf{j}\,\boldsymbol{\omega}\right)\right)}$$
(2-10)

The last two equations express Robustness Theorems 1 and 2 respectively [Ref. 5]. As a consequence of these two theorems, specifications can be made on the maximum allowable singular values of R and T matrices in terms of the weighting matrices $W_2(j\omega)$ and $W_3(j\omega)$ as follows:

$$\overline{\sigma}(R(j\omega)) \le |W_2^{-1}(j\omega)|$$
 (2-11)

$$\overline{\sigma}(T(j\omega)) \le |W_3^{-1}(j\omega)|$$
 (2-12)

Figure 2-3 shows the performance boundary on a singular value Bode plot as determined by $|W_1(j\omega)|$ and the robustness boundary as determined by $|W_3(j-\omega)|$. The two dashed lines represent the minimum and maximum singular values of the loop gain L(s) which is the product F(s)G(s). The plot of the reciprocal of the maximum singular value of S(s) is seen to follow the minimum singular value of S(s) above the 0 db line then approaches the 0 db line at the higher frequencies where S(s) approaches the I matrix. The maximum singular value of S(s) approaches the maximum singular value of the loop gain S(s) below the 0 db line while approaching the 0 db line at the lower frequencies where S(s) approaches I.




Figure 2-3 Singular Value Specifications on S(s) and T(s)

III. H CONTROL DESIGN

A. THEORETICAL APPROACH.

The H_{∞} control problem consists of solving the small gain problem for the controller F(s) such that the infinity norm of the closed loop transfer matrix $T_{y_1u_1}$ is less than or equal to 1 and is stable, see figure 3-1. The closed loop transfer




Figure 3-1 The Small Gain Problem

matrix $\mathbf{T_{y1u1}}$ for the plant $\mathbf{P(s)}$ is modified by the feedback of output $\mathbf{y_2}$ to the controller $\mathbf{F(s)}$ and returning a control $\mathbf{u_2}$ to the plant to achieve robust stability. The transfer matrix $\mathbf{T_{y1u1}}$ is defined in terms of the weighting matrices $\mathbf{W_1}$, $\mathbf{W_3}$, $\mathbf{S(s)}$, and $\mathbf{T(s)}$ as defined by:

If one includes the weighting matrix \mathbf{W}_2 to penalize the control then equation (3-1) becomes:

$$T_{y_1u_1} = \begin{cases} w_1S \\ w_2R \\ y_1r_0 \end{cases}$$
 (3-2)

The open loop plant G(s) must be augmented with the weighting matrices to form the augmented plant P(s) as shown in figure 3-2.

The relation between the input and the output is given by equation (3-3).

$$\begin{pmatrix} y_1 \\ y_2 \end{pmatrix} = \begin{pmatrix} y_{1a} \\ y_{1b} \\ y_{1c} \\ y_2 \end{pmatrix} = \begin{pmatrix} w_1 & -W_1G \\ 0 & W_2 \\ 0 & W_3G \\ \hline & & -G \end{pmatrix} \begin{pmatrix} u_1 \\ u_2 \end{pmatrix}$$
(3-3)

The matrices in the brackets which contain the weighting matrices is the augmented plant $P(\hat{s})$. The state space representation of the augmented plant is

$$P(s) = \begin{pmatrix} A & B_1 & B_2 \\ \hline C_1 & D_{11} & D_{12} \\ C_2 & D_{21} & D_{22} \end{pmatrix} = \begin{pmatrix} P_{11} & P_{12} \\ \hline P_{21} & P_{22} \end{pmatrix}$$
(3-4)

In the H2 analysis which precedes the H_{ϖ} final design—the \bar{D}_{11} matrix must be a null matrix and the D_{12} matrix must be full rank.




Figure 3 · 2 Compensated System with Augmented Plant P(s)

The small gain problem is to find a stabilizing controller F(s) for the augmented plane P(s) so that the control $u_2(s) = F(s)y_2(s)$ will minimize the norm of the closed loop transfer matrix:

$$T_{\gamma 1u1} = P_{11}(s) + P_{12}(s) (I-F(s)P_{22}(s))^{-1}F(s)P_{21}(s) \tag{3-5}$$
 where the closed loop transfer matrix (equation 3-1) is represented in terms of the partitioned matrices given in equation 3-4.

B. DETERMINATION OF WEIGHTING CONSTRAINTS.

The weighting constraints chosen were the same as used in the X-29 \hat{H}_{∞} design [Ref. 6]. The first objective is to suppress the sensitivity matrix singular values as much as possible for the largest possible bandwidth by large loop gains. Secondly, the

complementary sensitivity matrix singular values must be suppressed by 20 db at a frequency of 100 rad/sec with a second order fall off of -40 db/decade for frequencies above 100 rad/sec. The resultant weighting constraints are:

$$(\gamma * W_1)^{-1}(s) = \gamma^{-1} * .01 * \frac{(100s+1)}{.01s+1} * I_{2x2}$$
 (3-6)

$$W_2(s) = -.001 * I_{2x2}$$
 (3-7)

$$W_3^{-1}(s) = \frac{1000}{s^2} * I_{2x2}$$
 (3-8)

The parameter γ in equation (3-6) is used in an iteration scheme discussed in the next section which allows us to approach the maximum design limits of the H2 and H_{∞} approaches.




Figure 3-3 H_{∞} Design Specifications

The 0 db crossover frequency of the W_1 plot must be sufficiently below the 0 db crossover frequency of the W_3 plot or conditions (2-10) through (2-12) won't be satisfied. The W_3 (s) weighting matrix can be seen to not have a proper state space representation as there are two zeros and no poles. However, W_3 (s)G(s) equation (3-3) for P(s) has a proper state space representation. The W_2 (s) weighting matrix ensures that the D_{12} submatrix has the full column rank required by H_{∞} theory. The W_1^{-1} weighting matrix was modified for the H2 design by eliminating the 100 rad/sec corner frequency and making the denominator equal to 1. The plot of the F-18 H_{∞} design specifications can be seen in figure 3-3. The F-18 H2 design specifications is shown in figure 3-4.




Figure 3-4 H2 Design Specifications

C. DISCUSSION OF H2 AND H_{∞} DESIGN ITERATION.

A thorough discussion of the H_{∞} and H_2 theory can be found in references 6 and 7. The H_2 and H_{∞} techniques are usually used together with the H_2 theory used as a first approximation with $\gamma=1$. The γ parameter in the performance weighting matrix $\gamma W_1^{-1}(s)$ is iteratively increased until the H_2 design reaches the design specification limit. The final γ for the H_2 design is used as the starting point for the H_{∞} design whereupon the parameter γ can be further increased before exceeding the design constraints. This iterative procedure is shown in figure 3-5.

The fact that a higher γ is realizable with the H_{∞} design is an indication of the larger bandwidth, greater disturbance and uncertainty attenuation within the design constraints of the H_{∞} design over the H2 design.

H2/Hm y-Iteration




Figure 3-5 H2/H $_{\!\varpi}$ Design With $\gamma\text{-Iteration}$

IV. F-18 CONTROL DESIGN

A. F-18 OPEN LOOP PITCH AXIS STATE SPACE MODEL

The F-18 state space model is based on the model by Rojek [Ref. 8] for a flight condition of 0.6 Mach number at 10000 feet altitude. Figure 4-1 shows the F-18 with the control surfaces and




Figure 4-1 F-18 Control Surfaces and Sign Conventions

the positive sign conventions for the deflections. The pitch control surface deflections are denoted dle, dte, and dst for wing leading edge, wing trailing edge, and stabilator deflections, respectively. In the discussion of the state space representation to follow, the deflections will be referred to as δ_{le} , δ_{te} , and δ_{st} for the leading edge, trailing edge, and stabilator, respectively. The multiple control inputs make the F-18 an ideal candidate for the robust control theory. Control input 1 controlled the stabilator while control input 2 controlled the leading and trailing flaps together. The pitch rate and angle of attack were chosen as the two outputs of interest so that the control system is a two input-two output system similar to the example of an advanced fighter H_{m} controller treated by Chiang [Ref. 5].

The airframe equations of motion consists of two states: the downwash velocity w and the pitch rate q. Only the short period aircraft modes were considered neglecting the phugoid modes similar to Rogers [Ref. 6]. The equations of motion are linearized about a trim condition resulting in a set of first order differential equations of the general form:

$$\dot{\mathbf{x}} = \mathbf{A}\mathbf{x} + \mathbf{B}\delta \tag{4-1}$$

Expanding the above equation in terms of the stability derivatives similar to that shown in McRuer [Ref. 9] gives:

$$\begin{bmatrix} \dot{\mathbf{w}} \\ \dot{\mathbf{q}} \end{bmatrix} = \begin{bmatrix} \mathbf{Z}_{\mathbf{w}} / (\mathbf{1} - \mathbf{Z}_{\mathbf{w}}) & (\mathbf{Z}_{\mathbf{q}} + \mathbf{U}_{\mathbf{b}}) / (\mathbf{1} - \mathbf{Z}_{\mathbf{w}}) \\ \mathbf{M}_{\mathbf{w}} + \mathbf{\underline{M}_{\mathbf{w}}} * \mathbf{Z}_{\mathbf{w}} & \mathbf{M}_{\mathbf{q}} + \mathbf{\underline{M}_{\mathbf{w}}} * (\mathbf{Z}_{\mathbf{q}} + \mathbf{U}_{\mathbf{b}}) \\ \mathbf{q} \end{bmatrix} \begin{bmatrix} \mathbf{w} \\ \mathbf{q} \end{bmatrix}$$

$$+ \begin{bmatrix} \frac{\mathbf{Z}_{\delta \mathbf{s}}}{\mathbf{1} - \mathbf{Z}_{\mathbf{w}}} & \frac{\mathbf{Z}_{\delta \mathbf{l} \mathbf{f}}}{\mathbf{1} - \mathbf{Z}_{\mathbf{w}}} & \frac{\mathbf{Z}_{\delta \mathbf{l} \mathbf{f}}}{\mathbf{1} - \mathbf{Z}_{\mathbf{w}}} \\ \mathbf{M}_{\delta \mathbf{s}} + \mathbf{\underline{M}_{\mathbf{w}}} * \mathbf{\underline{Z}_{\delta \mathbf{s}}} & \mathbf{M}_{\delta \mathbf{l} \mathbf{f}} + \mathbf{\underline{M}_{\mathbf{w}}} * \mathbf{\underline{Z}_{\delta \mathbf{l} \mathbf{f}}} & \mathbf{M}_{\delta \mathbf{t} \mathbf{f}} + \mathbf{\underline{M}_{\mathbf{w}}} * \mathbf{\underline{Z}_{\delta \mathbf{l} \mathbf{f}}} \\ \mathbf{M}_{\delta \mathbf{s}} + \mathbf{\underline{M}_{\mathbf{w}}} * \mathbf{\underline{Z}_{\delta \mathbf{s}}} & \mathbf{M}_{\delta \mathbf{l} \mathbf{f}} + \mathbf{\underline{M}_{\mathbf{w}}} * \mathbf{\underline{Z}_{\delta \mathbf{l} \mathbf{f}}} & \mathbf{M}_{\delta \mathbf{t} \mathbf{f}} + \mathbf{\underline{M}_{\mathbf{w}}} * \mathbf{\underline{Z}_{\delta \mathbf{l} \mathbf{f}}} \\ \mathbf{M}_{\delta \mathbf{s}} + \mathbf{\underline{M}_{\mathbf{w}}} * \mathbf{\underline{Z}_{\delta \mathbf{l} \mathbf{f}}} & \mathbf{M}_{\delta \mathbf{l} \mathbf{f}} + \mathbf{\underline{M}_{\mathbf{w}}} * \mathbf{\underline{Z}_{\delta \mathbf{l} \mathbf{f}}} \\ \mathbf{1} - \mathbf{Z}_{\mathbf{w}} & \mathbf{M}_{\delta \mathbf{l} \mathbf{f}} + \mathbf{\underline{M}_{\mathbf{w}}} * \mathbf{\underline{Z}_{\delta \mathbf{l} \mathbf{f}}} \\ \mathbf{M}_{\delta \mathbf{l} \mathbf{f}} + \mathbf{\underline{M}_{\mathbf{w}}} * \mathbf{\underline{Z}_{\delta \mathbf{l} \mathbf{f}}} \\ \mathbf{1} - \mathbf{Z}_{\mathbf{w}} & \mathbf{M}_{\delta \mathbf{l} \mathbf{f}} + \mathbf{\underline{M}_{\mathbf{w}}} * \mathbf{\underline{Z}_{\delta \mathbf{l} \mathbf{f}}} \\ \mathbf{M}_{\delta \mathbf{l} \mathbf{f}} + \mathbf{\underline{M}_{\mathbf{w}}} * \mathbf{\underline{Z}_{\delta \mathbf{l} \mathbf{f}}} \\ \mathbf{M}_{\delta \mathbf{l} \mathbf{f}} + \mathbf{\underline{M}_{\mathbf{w}}} * \mathbf{\underline{Z}_{\delta \mathbf{l} \mathbf{f}}} \\ \mathbf{M}_{\delta \mathbf{l} \mathbf{f}} + \mathbf{\underline{M}_{\mathbf{w}}} * \mathbf{\underline{Z}_{\delta \mathbf{l} \mathbf{f}}} \\ \mathbf{M}_{\delta \mathbf{l} \mathbf{f}} + \mathbf{\underline{M}_{\mathbf{w}}} * \mathbf{\underline{Z}_{\delta \mathbf{l} \mathbf{f}}} \\ \mathbf{M}_{\delta \mathbf{l} \mathbf{l}} + \mathbf{\underline{M}_{\mathbf{w}}} * \mathbf{\underline{Z}_{\delta \mathbf{l} \mathbf{f}}} \\ \mathbf{M}_{\delta \mathbf{l} \mathbf{l}} + \mathbf{\underline{M}_{\mathbf{w}}} * \mathbf{\underline{Z}_{\delta \mathbf{l} \mathbf{f}}} \\ \mathbf{M}_{\delta \mathbf{l} \mathbf{l}} + \mathbf{\underline{M}_{\mathbf{w}}} * \mathbf{\underline{Z}_{\delta \mathbf{l} \mathbf{f}}} \\ \mathbf{M}_{\delta \mathbf{l} \mathbf{l}} + \mathbf{\underline{M}_{\mathbf{w}}} * \mathbf{\underline{Z}_{\delta \mathbf{l} \mathbf{f}}} \\ \mathbf{M}_{\delta \mathbf{l} \mathbf{l}} + \mathbf{\underline{M}_{\mathbf{w}}} * \mathbf{\underline{M}_{\mathbf{l}} + \mathbf{\underline{M}_{\mathbf{w}}} * \mathbf{\underline{Z}_{\delta \mathbf{l} \mathbf{f}}} \\ \mathbf{M}_{\delta \mathbf{l} \mathbf{l}} + \mathbf{\underline{M}_{\mathbf{l}}} * \mathbf{\underline{M}_{\mathbf{l}}} * \mathbf{\underline{M}_{\mathbf{l}}} * \mathbf{\underline{M}_{\mathbf{l}}} \\ \mathbf{M}_{\mathbf{l}} + \mathbf{\underline{M}_{\mathbf{l}}} * \mathbf{\underline{M}_{\mathbf{l}}} * \mathbf{\underline{M}_{\mathbf{l}}} * \mathbf{\underline{M}_{\mathbf{l}}} * \mathbf{\underline{M}_{\mathbf{l}} * \mathbf{\underline{M}_{\mathbf{l}}} * \mathbf{\underline{M}_{\mathbf{l}}} \\ \mathbf{\underline{M}_{\mathbf{l}}} * \mathbf{\underline{M}_{\mathbf{l}}} * \mathbf{\underline{M}_{\mathbf{l}}} * \mathbf{\underline{M}_{\mathbf{l}} * \mathbf{\underline{M}_{\mathbf{l}}} * \mathbf{\underline{M}_{\mathbf{l}}} * \mathbf{\underline{M}_{\mathbf{l}}} * \mathbf{\underline{M}_{\mathbf{l}}} * \mathbf{\underline{M}_{\mathbf{l}} * \mathbf{\underline{$$

At 10000 feet altitude and Mach 0.6 the trim angle of attack and corresponding pitch angle is 2.6184 degrees for level flight. $U_{\rm b}$ is the body longitudinal component of flight velocity which is computed knowing the true velocity of 646.42 ft/sec and the pitch angle.

Figure 4-2 presents the two-input open loop actuator/aircraft interface. There are two inputs u_1 and u_2 with u_1 being the input to the stabilator and u_2 the input to both the leading and trailing flaps. The stabilator is a fourth order actuator while the two flaps have second order actuators giving a total of eight actuator states. Scaling of the system matrix by transforming downwash velocity w to the angle of attack by the relation w=V* α and transforming the units of the stabilator third derivative from rad/sec³ to 10^4 rad/sec³ reduced the condition number of the system matrix from 10^7 to 10^4 .




Figure 4-2 Uncompensated F-18 Open Loop Configuration

The F-18 open loop state space model is a 10 state model consisting of the two airframe states and eight states for the three actuators. The resultant 10 state linear model of $G(s)=C(sI-1)^{-1}B+D$ is presented in Appendix B. The order of the state variables with description and units is shown in Table 4-1 and the open loop poles in Table 4-2. Note there are no unstable poles in the F-18 open loop system matrix. The example aircraft by Chiang [Ref. 5] had a complex pair of unstable poles and the X-29 design by Rogers and Hsu [Ref. 6 and 7] had a single real unstable pole. The first pair of complex poles is the short period airframe poles with a frequency of 2.80 rad/sec. The other eight poles are the higher frequency actuator states.

Table 4-1 The Ordered Uncompensated F-18 Model States

State	Description	Units			
α	angle-of-attack	rādians			
đ	pitch rate	rad/sec			
δ _s	stabilator deflection	rad			
δ _s	stabilator rate	rad/sec			
δ _g	stabilator accel.	rad/sec ²			
δ _s	stabilator jerk	1e+04 rad/sec ³			
$\delta_{ t lf}$	leading flap defl.	rad			
$\overset{ullet}{\delta}_{ t lf}$	leading flap rate	rad/sec			
$\delta_{ t tf}$	trailing flap defl.	rad			
$\dot{\delta}_{ t tf}$	trailing flap rate	rād/sēc			

Table 4-2

Uncompensated F-18 Open Loop Poles

-.975 ± j 2.627 -62.126 ± j85.022 -14.924 ± j33.199 -26.902 -82.898 -24.850 ± j24.647

B. DESIGN APPROACH

The singular values of the uncompensated F-18 open loop plant are plotted in figure 4-3, the upper curve is $\sigma_{\text{max}}(\mathbf{G}(\mathbf{j}\omega))$ and the




Figure 4-3 Uncompensated F-18 Open Loop Singular Value Plot

lower curve is $\sigma_{\min}(\mathbf{G}(\mathbf{j}\omega))$. The bandwidth of 3.7 rad/sec is narrow. The small loop gains for $\sigma_{\min}(\mathbf{G}(\mathbf{j}\omega))$ at the lower frequencies show that the F-18 open loop plant has poor disturbance rejection and is highly sensitive to modeling errors and system variations. From the H2 and H_{∞} control design methodologies presented, the sensitivity function singular values must be suppressed to the maximum extent possible by increasing the loop gains to as high a

value for the maximum possible bandwidth without conflicting with the system's stability constraints. The maximum singular value must show an attenuation of 20 db at a frequency of 100 rad/sec with a second order falloff of 40 db/decade. The above stability constraint has the purpose of attenuating the control effort at the higher frequencies so that the flexible structural modes are not excited.

The weighting constraints selected for the problem are given in equations (3-6) through (3-8). Figures 3-3 and 3-4 showed the specifications for the H_{∞} and H2 controllers, respectively.

The open loop plant has 10 states but the augmented plant has a 14th order state space representation as $W_1(s)$ and $W_2(s)$ each add two states to the F-18 plant G(s). The $W_3(s)$ weighting function, having no state space representation, adds no states to the augmented plant. The H2 and H_{∞} controllers will also be 14th order, the same as the augmented plant.

C. DESIGN RESULTS OF THE H2 AND OPTIMUM ${\rm H}_{\infty}$ CONTROLLER

The H2 design was undertaken first per the approach shown in figure 3-5 with the assumed value of 1 for γ . The Matlab f1812.m script file listed in Appendix A was used. The value of γ was increased until the cost function $\|\mathbf{T}_{\mathbf{ylul}}\|_2$ reached the all pass limit or 0 db for the H2 controller. The \mathbf{H}_{∞} solution was then performed using the f18inf.m script file with γ being increased until a γ is reached in which any further increase will not result in a stabilized controller. Figures 4-4 and 4-5 show plots of the cost function $\|\mathbf{T}_{\mathbf{ylul}}\|_2$ for the H2 solution with γ =1 and γ =5.3. At γ =1, the σ_{\max} singular value indicated by the solid line is about 8 db below the all pass 0 db line. Increasing γ to 5.3 pushes the




Figure 4-4 H2 Cost Function $\|T_{y1u1}\|_2$ for $\gamma=1$




Figure 4-5 H2 Cost Function $\|T_{y1u1}\|_2$ for $\gamma=5.3$

H2 cost function $\|\hat{\mathbf{T}}_{\mathbf{Y}^1\mathbf{u}\mathbf{1}}\|_2$ to the 0 db line near a frequency of 5 rad/sec with the σ_{\min} singular value (dotted line) pushed to within 4 db of the 0 db line.

In figure 4-6 the H_{∞} solution with a $\gamma{=}13.5$ pushes the cost function $\|T_{\gamma1u1}\|_{\infty}$ minimum singular value to within .6 db of the 0 db line. The significantly higher value of γ possible with the H_{∞} design shows that it is clearly superior to the H2 design in performance.

A comparison of the singular value plots of the sensitivity function $\mathbf{S}(\mathbf{s})$ and $(\gamma \mathbf{W}_1)^{-1}(\mathbf{s})$ weighting function can be seen in figures 4-7 through 4-9 for the H2 design with $\gamma=1$ and 5.3 and the H_{∞} design with $\gamma=13.5$, respectively. The σ_{\max} singular value is the




Figure 4-6 H_{∞} Cost Function $\|1_{y1u1}\|_{\infty}$ for $\gamma=13.5$




Figure 4-7 Sensitivity Function S(s) for H2 Solution, $\gamma=1$

top dotted curve in each of the figures and the σ_{\min} singular value curve is represented by the dashed lower curve. In figure 4-7 the performance boundary levels out at -40 db below .01 rad/sec and the minimum singular value is 14 db below the W_1^{-1} boundary. Increasing γ to 5.3 in figure 4-8, the W_1^{-1} boundary dips to -54 db and the minimum singular value of the sensitivity function is 5 db below the performance boundary. The H_{∞} solution at Δ =13.5 in figure 4-9 is now suppressed to -63 db and the sensitivity function's minimum singular value is now within 1 db of the performance boundary W_1^{-1} . As γ is increased the weighting constraint $(\gamma W_1)^{-1}(s)$ is suppressed to lower magnitudes and the singular values of the sensitivity function S(s) are pressed closer to the weighting function. The lower sensitivity curve S(s) achieved by the H_{∞} design shows that




Figure 4-8 Sensitivity Function S(s) for H2 Solution, $\gamma=5.3$




Figure 4-9 Sensitivity Function S(s) for H_{∞} Solution, $\gamma=13.5$

it has superior disturbance attenuation, lower sensitivity to plant variations and modeling errors, and a wider control bandwidth.

The complementary sensitivity function T(s) is plotted in figures 4-10 through 4-12 for the H2 case with $\gamma=1$ and 5.3 and the H $_{\infty}$ design with $\gamma=13.5$. The dashed curves here represent the $\sigma_{\rm max}$ singular values and the dotted curves represent the $\sigma_{\rm min}$ singular values. In figure 4-10 at $\gamma=1$, the complementary sensitivity function, T(s), has a corner frequency of 10 rad/sec and at 100 rad/sec the maximum singular value is at -60 db compared to the -20 db robustness boundary. At $\gamma=5.3$, the H2 solution for T(s) in figure 4-11 shows a corner frequency of 18 rad/sec and a gain of -45 db at 100 rad/sec. At $\gamma=13.5$ in figure 4-12, the H $_{\infty}$ solution yields a corner frequency of 22 db and a maximum singular value of




Figure 4-10 H2 Complementary Sensitivity Function T(s), $\gamma=1$




Figure 4-11 H2 Complementary Sensitivity Function T(s), $\gamma=5.3$




Figure 4-12 H_{∞} Complementary Sensitivity Function, $\gamma=13.5$

-28 db at 100 rad/sec. From these results, the higher γ that the H_{∞} controller is able to achieve resulted in pushing T(s) as close to the robustness boundary as possible.

The effect on control bandwidth of increasing γ can be quantified from figures 4-10 through 4-12. At $\gamma=1$, the H2 bandwidth determined by the frequency at the -3 db maximum singular value is about 10 rad/sec while the $\gamma=5.3$ H2 solution achieves about a 16 rad/sec bandwidth. The H $_{\infty}$ solution at $\gamma=13.5$ has a higher bandwidth of 20 rad/sec. Rogers [Ref. 6] found for the X-29 that the best H2 and H $_{\infty}$ solutions gave 20 and 30 rad/sec, respectively. Both sets of results indicate that the H $_{\infty}$ compensated aircraft is a more responsive aircraft.




Figure 4-13 Feedback Configuration

The controller is a 14-state controller as was expected. The closed loop controller as shown in figure 4-13 is a 24-state configuration. The output vector \mathbf{y} consists of the output states α and \mathbf{q} . The control input vector \mathbf{r} contains the control inputs \mathbf{u}_1 and \mathbf{u}_2 . Since the controller is placed in series with the F-18 plant the commands \mathbf{u}_1 and \mathbf{u}_2 are reference commands to the outputs α and α . The closed loop model has 2 inputs, 2 outputs and 24 states.

The state space model of the 24th order closed loop H_{∞} compensated model is presented in Appendix B. The poles of the H_{∞} compensated closed loop system are shown in Table 4-3. The poles of the open loop plant G(s) can be seen to also exist in the closed loop H_{∞} compensated plant. The low condition number of the open loop plant G(s) means that the augmented plant P(s) and the controller F(s) are well-conditioned. The well-conditioned

Table 4-3 H_{∞} Compensated Closed Loop Poles

```
-1.7985e+04
-4.6415e+02
-6.2126e+01 \pm j8.5022e+01
-1.4533e+01 \pm j8.1275e+01
-1.0183e+02
-8.1898e+01
-1.4924e+01 \pm j3.3199e+01
-1.9460e+01 \pm j2.2795e+01
-2.6990e+01 \pm j2.3233e+01
-2.4850e+01 \pm j2.4647e+01
-2.5633e+01 \pm j1.3283e+01
-2,6902e+01
-3.9708e+01
-9.7451e-01 \pm j2.6269e+00
-1.0000e-03
-1.0000e-03
```

numerical properties of these matrices required no minimum realization nor balancing to be performed which is desirable as the meaning of the state variables becomes obscure if the matrices undergo balancing. The open loop 10 state matrix can be seen, in Appendix B, to occupy rows 15 through 24 and columns 15 through 24. The open loop states 1 through 10 correspond to states 15 through 24 of the H_{∞} closed loop controller.

The output return difference matrix [I+G(s)F(s)] is the inverse of the sensitivity matrix and as such the minimum singular value approximates the loop gains if the loop gains are large. The plot of the output return difference matrix I+G(s) of the uncompensated closed loop plant, figure 4-14, show that with the minimum singular value well below the 0 db line that the loop gain is low. The low loop gain of the uncompensated plant means that it has low disturbance rejection and high sensitivity to plant





Figure 4-14 Singular Value Plot I+G(s), Uncompensated F-18



variations and modeling errors as was surmised from the singular value plot of the open loop plant earlier in the chapter. The plot of the singular values of the compensated return difference matrix $\mathbf{I}+\mathbf{F}(\mathbf{s})\mathbf{G}(\mathbf{s})$ in figure 4-15 show that the loop gains at the lower frequencies are much improved over the uncompensated plant. Thus the \mathbf{H}_{∞} compensated plant has good disturbance rejection and low sensitivity to plant variations and modeling errors. The steep second order roll-off designed into the complementary sensitivity function $\mathbf{T}(\mathbf{s})$ probably caused the dip of the singular values below 0 db between 14 and 80 rad/sec indicates a lower level of performance near the 0 db crossover frequency. The crossover point of 13 rad/sec is below the 30 rad/sec crossover of the \mathbf{W}_3 weighting matrix which is one of the requirements for stability.

The inverse-return matrix $\mathbf{I}+(\mathbf{G}(\mathbf{s})\mathbf{F}(\mathbf{s}))^{-1}$ is plotted in figure 4-16 for the H_{∞} design. The stability margins were determined by examining the universal gain and phase margin curve [Ref. 6, pg.68] and are the same as those guaranteed by the linear quadratic regulator problem. The minimum singular value of 0 db or 1 shown for the H_{∞} design in figure 4-16 guarantees gain margins of -6 db to infinity and phase margins of $\pm 60^{\circ}$.




Figure 4-16 SV Plot of $I+(G(s)F(s))^{-1}$, H_{∞} Design F-18

1. H_w Input Return Difference Analysis

The input additive and input multiplicative return difference matrices are plotted in figures 4-17 and 4-18, respectively. The input additive return difference matrix has poor disturbance attenuation with the minimum singular value (dashed curve) below -3 db in the range of frequency of 1 to 60 rad/sec. A $\sigma_{\min}[\mathbf{I}+(\mathbf{F}(\mathbf{j}\omega)\mathbf{G}(\mathbf{j}\omega))^{-1}]$ of -20 db (figure 4-18) translates to a gain margin of -2 to +2 db and a phase margin of 5°. In figure 4-18, the minimum value of the input multiplicative return difference matrix $\mathbf{I}+(\mathbf{F}(\mathbf{s})\mathbf{G}(\mathbf{s}))^{-1}$ violates the \mathbf{W}_3 boundary. The conclusion is that the \mathbf{H}_{∞} design does not guarantee stability at the inputs to the plant $\mathbf{G}(\mathbf{s})$ since the design is based on the plant output.




Figure 4-17 SV Plot of I+FG, H_{∞} Design for the F-18




Figure 4-18 F-18 SV Plot of $I+(FG)^{-1}$, H_{∞} Design for the F-18

2. Precision Longitudinal Control Modes

The H_{∞} solution in the two-input, two-output case ideally will result in control of output 1 by input 1 and output 2 by input 2. This feature allows for multiple, independently controlled surface deflections. Safonov [Ref. 10] listed the three precision longitudinal modes of control observed with the H_{∞} derived designs:

- Varying the vehicle vertical velocity by varying angle of attack while holding the pitch angle constant or keeping q equal to 0.
- 2. Direct lift control by varying θ while keeping α constant so that the velocity vector remains fixed along the aircraft stability axis x_a as x_a rotates.
- aircraft stability axis x_s as x_s rotates.

 3. Pitch pointing by controlling θ at a constant flight path angle so that the flight path angle or velocity vector remains fixed while x_s rotates $(\theta=\alpha)$.

Closed loop Bode Plots of α and q responses to inputs 1 and 2 are shown in figures 4-19 through 4-22. The response of α to input 1, figure 4-19 shows a gain of 1 or 0 db for frequencies of up to 6 rad/sec which is above the short period frequency of the F-18. However the q response to input 1 in figure 4-20 never gets above -32 db which occurs at a frequency of 20 rad/sec, well beyond the short period frequency of the F-18. Figure 4-21 shows the q response to input 2 to have a gain of 1 or 0 db to a frequency of 10 rad/sec while the transfer function α/u_2 in figure 4-22 is suppressed with a maximum of -36 db at 22 rad/sec. These Bode plots show the great separation with very little cross-coupling which allows input 1 to be used to control only α and input 2 to control only q.




Figure 4-19 Bode Plot of F-18 α/u_1 T.F., H_{∞} Design




Figure 4-20 Bode Plot of F-18 q/u₁ T.F., H_{∞} Design




Figure 4-21 F-18 Bode Plot of q/u_2 T.F. H_{∞} Design




Figure 4-22 F-18 Bode Plot of α/u_2 T.F. H_{∞} Design

The time responses of α and q to a 1° pulse of 1 second duration in input 1 is shown in figure 4-23 and to a 1°/sec pulse of 1 second duration in input 2 is shown in figure 4-24. Figure 4-23 shows a fast rise time in the alpha response to u_1 of .2 sec to reach the commanded input but the q response barely makes a ripple along the 0°/sec line when plotted on the same scale. Figure 4-24 shows that the pitch rate response q slightly overshoots the commanded u_2 before settling out to the commanded value but here again the other output α is essentially zero due to the second input u_2 . The rise time of α to u_1 is .1 sec and the rise time of q to u_2 is .088 sec.




Figure 4-23 α and q Responses to 1 $^{\circ}/\text{sec}$ 1-sec Pulse in u_1 , H_{∞}




Figure 4-24 α and q Responses to 1 $^{\circ}$ /sec 1-sec Pulse in u_2 , H_{∞}

The deflections of the stabilator, leading flap and trailing flap due to a 1° 1-second pulse at input 1 are plotted as a function of time in figures 4-25, 4-26, and 4-27, respectively. Since a negative deflection is required to produce a positive α response and the only control surface with a negative deflection during the 1-second pulse in input 1 is the stabilator then it is concluded that it is the stabilator that controls α . This result would be expected from the open loop state space representation which is in the feedforward loop of the closed loop system in which input 1 is fed through the stabilator.

The time response of the stabilator, leading flap, and trailing flap due to a 1 $^{\rm o}/{\rm sec}$ 1-second pulse in input 2 is shown in figures 4-28, 4-29, and 4-30. The negative rectangular pulses




Figure 4-25 Stabilator Response to 10/sec 1-sec Pulse in u1




Figure 4-26 Leading Flap Response to 1° 1-sec Pulse in u1





Figure 4-27 Trailing Flap Response to 1° 1-sec Pulse in u_1 , H_{∞}



44




Figure 4-29 Leading Flap Response to 10/sec 1-sec Pulse in u2




Figure 4-30 Trailing Flap Response to 10/sec 1-sec Pulse in u2

in $\delta_{\rm lf}$ and $\delta_{\rm tf}$ show that they are controlling the response to a positive pitch rate command u_2 and $\delta_{\rm s}$ is not controlling q.

The maximum actuator deflection limits and the actuator no load rate limits are given in Table 4-4:

Table 4-4 F-18 Actuator Deflection and Rate Limits

Actuator	Deflection Limits	No Load Rate Limits
Stabilator Leading Flap	+10.5°	40°/sec
	-24	15
	+34 - 3	15
Trailing Flap	+45	18
	- 8	

The maximum deflections observed occurred for input 1 with 2.2 rad for $\delta_{\rm g}$, 4.4 rad for $\delta_{\rm lf}$, and 5 rad for $\delta_{\rm tf}$. The maximum deflections for input 2 were smaller with 1.38 rad for $\delta_{\rm g}$, 2.8 rad for $\delta_{\rm lf}$ and 3.1 rad for $\delta_{\rm tf}$. The actuator limits in table 4-4 were greatly exceeded for both actuator angular limits and rate limits. The H_{∞} solution developed here did not penalize the controls enough in the cost function and unrealistic actuator performance resulted. The H_{∞} limited performance design is presented next with a higher W_2 to insure that the cost function places a greater weight on the controls in order to get a more realistic H_{∞} design.

D. DESIGN RESULTS OF THE LIMITED PERFORMANCE H_{∞} CONTROLLER

The H_{∞} design was reworked to bring it within practical limits by increasing the W_2 ϵ term to .018 and decreasing the corner frequency from 100 to 2.5 rad/sec in the $W_1^{-1}(s)$ weighting function. The weighting function assignments are:

$$(\gamma W_1(s))^{-1} = \frac{.01(100s+)}{\gamma (.4s+1)} *I_{2x2}$$
 (4-3)

$$W_2(s) = -.018 * I_{2x2}$$
 (4-4)

$$w_3^{-1}(s) = \frac{1000}{s^2} * I_{2x2}$$
 (4-5)

A plot of $W_1^{-1}(s)$ and $W_3^{-1}(s)$ weighting functions are shown in figure 4-31.

The maximum γ achievable with the above W_2 =.018I was found to be 1.58 which only pushed the singular value of the cost function $\|T_{\gamma 1u1}\|_{\infty}$ to within 2 db of the all-pass 0 db line in figure 4-32. The optimum H_{∞} design with γ =1.58 in figure 4-33 shows much less disturbance rejection and more sensitivity to plant and modeling errors than the optimum H_{∞} design. The complementary sensitivity function for γ =1.58 in figure 4-34 shows a greatly reduced bandwidth of 2 rad/sec as against 20 rad/sec in the H_{∞} optimum design. The closed loop poles are listed in Table 4-5.




Figure 4-31 F-18 Limited Performance Design Specifications




Figure 4-32 Limited Perf. Cost Function $\|T_{y1u1}\|_{\infty}$ for $\gamma=1.58$




Figure 4-33 Limited Perf. Sensitivity Function with $\gamma=1.58$




Figure 4-34 Limited Perf. Compl. Sensitivity Function, $\gamma=1.58$

Table 4-5
F-18 Limited Performance Closed Loop Poles

```
-1.0017e+03
-6.2126e+01 \pm j8.5022e+01
-1.7711e+01 \pm j8.1027e+01
-8.2898e+01
-7.6597e+01
-1.4924e+01 \pm j3.3199e+01
-2.4200e+01 \pm j2.5758e+01
-2.4850e+01 \pm j2.4647e+01
-2.0234e+01 \pm j2.0813e+01
-2.6902e+01
-2.5668e+01 ± j7.8886e-01
-9.7451e-01 \pm j2.6269e+00
-2.5001e+00
-1.9977e+00
-1.8000e-02
-1.8000e-02
```

Investigation of the output return difference matrices show how much the performance has degraded. The singular value $\sigma_{\min}[\mathbf{I}+\mathbf{G}(\mathbf{j}\omega)\mathbf{F}(\mathbf{j}\omega)]$ in figure 4-35 shows how much the performance has degraded. The singular value plot of $[\mathbf{I}+(\mathbf{G}(\mathbf{j}\omega)\mathbf{F}(\mathbf{j}\omega))^{-1}]$ in figure 4-36 shows a steady state gain of 2 db or -7 to +3 db and a $\pm 78^{\circ}$ gain and phase margin, respectively. A typical modern fighter aircraft has a gain margin of -8 to +4 db and a phase margin of $\pm 35^{\circ}$.




Figure 4-35 Limited Perf. SV Plot of (I+GF), $\gamma=1.58$




Figure 4-36 Limited Perf. SV plot of $[I+(GF)^{-1}]$, $\gamma=1.58$

1. Limited Performance Hom Plant input Problem

The singular value plot of the input additive return difference matrix in figure 4-37 shows that the stability of the limited performance F-18 at the plant inputs is further degraded over that of the optimum H_{∞} design. The plot of the input multiplicative return difference matrix $\mathbf{I}+(\mathbf{FG})^{-1}$ in figure 4-38 shows that σ_{\min} violates the W_3 boundary as did the optimum H_{∞} design. Stability robustnes is not guaranteed at the plant inputs as in the optimum H_{∞} design.




Figure 4-37 F-18 Limited Performance SV Plot of I+FG, $\gamma=1.58$




Figure 4-38 F-18 Limited Perf. SV Plot of I+(FG)⁻¹, γ =1.58

2. Limited Performance Precision Longitudinal Modes

Examination of the closed loop bode plots of the four transfer functions α/u_1 , q/u_1 , q/u_2 , and α/u_2 in figures 4-39 through 4-42 shows that the cross coupling between u_1 and q, and between u_2 and α is now not negligible with the limited performance design. The optimum H_{∞} had for all practical purposes no cross coupling. Figure 4-39 shows a steady state gain of -2 db for the $\alpha/$ input 1 transfer function which translates to an absolute gain of .794 instead of the 0 db gain noted for the optimum H_{∞} gain. The q/input 2 transfer function in figure 4-40 had a peak of -22 db instead of the -32 db of the optimum design showing an increased cross coupling. The results with input 2 are similar with the q/u_2

transfer function having a steady state gain slightly greater than -2 db in figure 4-41. Figure 4-42 shows the peak of the α/u_2 bode plot to be -20 db at 2 rad/sec so not only is the peak higher than for the optimum H_{∞} case. Actually the cross coupling is a little stronger because the frequency at which both cross transfer functions peak is close to the short period frequency of 2.8 rad/sec. The vertical scales in figures 4-40 and 4-42 are suppressed.




Figure 4-39 F-18 Limited Perf. Closed Loop Bode of α/u_1




Figure 4-40 F-18 Lim. Perf. Closed Loop Bode Plot of q/u_1




Figure 4-41 F-18 Lim. Perf. Closed Loop Bode Plot of q/u2




Figure 4-42 F-18 Lim. Perf. Closed Loop Bode Plot of α/u_2

A 1° pulse of 1-sec duration was applied at input 1 and then at input 2 with the limited performance H_{∞} design as was done with the optimum H_{∞} design. A plot of the α and q time responses in figure 4-43 still show that input 1 still dominates in the control of angle of attack but the pitch rate response is not negligible. Similarly input 2 still dominates the pitch rate response but the angle of attack response is noticeable as seen in figure 4-44. The rise times are much longer as expected since the controls are being limited by a larger weighting value for W_2 . After 1 sec the angle of attack reaches .0113 radians of the .01745 radians commanded by input 1. The .01745 rad/sec commanded by input 2 caused the pitch rate to reach .0134 rad/sec after 1 sec. The rise time of the optimum performance H_{∞} design again took .2 sec in both cases.




Figure 4-43 Lim. Perf. α and q Resp. to 1 $^{\rm o}/{\rm s}$ 1-s Pulse at ${\rm u}_1$




Figure 4-44 Lim. Perf. H_{∞} α & q Resp. to 1°/s 1-sec Pulse at u_2

The control deflections $\delta_{\rm g}$, $\delta_{\rm lf}$, and $\delta_{\rm tf}$ for the limited performance F-18 are much smaller than for the optimum performance F-18 $H_{\rm m}$ design as seen in figures 4-45 through 4-47 for input 1 and figures 4-48 through 4-50 for input 2. The control deflections for input 1 were all within the acceptable limits for the F-18. The leading flap and trailing flap both exceeded the maximum negative deflections allowed for the F-18 of -.052 rad for the leading flap and -.14 rad for the trailing flap for input 2. The stabilator deflection was completely within its limits for either input. main problem in utilization of the three control surfaces in the F-18 is that the leading and trailing flaps have most of their travel in the downward positive direction which from figure 4-1 can be seen to cause a negative pitching moment. The leading flap has a deflection range of -3 to +34 degrees and the trailing flap has a deflection range of -8 to +45 degrees. The X-29 had a good range of positive and negative travel on the canards and strakes making it a little more ideal for the H_{∞} approach [Ref. 6]. NASA Dryden has been testing a more maneuverable F-18 modified to use canards which would make it a more ideal candidate for the H_{∞} approach.





Figure 4-45 F-18 Lim. Perf. Stabilator δ_s to 1° 1-s Pulse at u_1






Figure 4-47 Lim. Perf. Trailing Flap $\delta_{\rm tf}$ to 1° 1-s Pulse at u_1




Figure 4-48 Lim. Perf. Stabilator δ_s to 1°/s 1s Pulse at u_2




Figure 4-49 Lim. Perf. Leading Flap $\delta_{
m lf}$ to 1°/s 1s Pulse at ${
m u_2}$




Figure 4-50 Lim. Perf. trailing Flap $\delta_{\rm tf}$ to 1°/s 1s Pulse at $\rm u_2$

The actuator no load rate limits shown in table 4-4 were exceeded in both input 1 and input 2. The control rates of the actuators are shown in figures 4-51 through 4-53 for the pulse from input 1 and figures 4-54 through 4-56 for the pulse from input 2. The peak rates range from .8 to 6 rad/sec which exceed the capabilities of the actuators.




Figure 4-51 Lim. Perf. $d\delta_s/dt$ due to $1^{\circ}/s$ 1s Pulse in u_1




Figure 4-52 Lim. Perf. $d\delta_{lf}/dt$ due to 1° 1s Pulse in u_1




Figure 4-53 Lim. Perf. $d\delta_{tf}/dt$ for 1° 1s Pulse in u_1




Figure 4-54 Lim. Perf. $d\delta_s/dt$ for $1^o/s$ 1s Pulse at u_2




Figure 4-55 Lim. Perf. $d\delta_{lf}/dt$ due to $1^{\circ}/s$ 1s Pulse in u_2




Figure 4-56 Lim. Perf. $d\delta_{tf}/dt$ due to 1°/s 1s Pulse at u_2

The approach to a limited control design did show a reduction in control deflections and rates by increasing the control weight in the cost function but at the cost of system performance and robustness. In addition to the higher control weighting the F-18 W_1^{-1} weighting performance specification had to be relaxed. The small control weightings in the optimum H_{∞} design required unacceptably high energy influx into the system beyond the capability of the actuators to provide. The limited performance design still demonstrated predominantly separate control of α by input 1 and q by input 2 but not near the separation demonstrated by the optimum H_{∞} design.

V. CONCLUSIONS AND RECOMMENDATIONS

Hm control theory implemented with the Matlab Robust Controls Toolbox was shown to be a systematic and straightforward method to shape the frequency response of a multi-output, multi-output system of the F-18 to achieve both robustness and system performance. decoupling of the pitch rate and angle of attack states demonstrates the potential for precision flying modes in which different independent control surfaces control different outputs. The stabilator was controlled by input 1 and was able to control angle of attack separately from input 2 which controlled the pitch rate by commanding the leading and trailing flaps which were ganged together. It was shown that the performance level of the optimum performance H_m design placed too great of an energy demand on the actuators. A limited performance H_m design was demonstrated which placed a greater weight on the control energy in the H_{∞} cost function. The sensitivity weighting function specification had to be relaxed to arrive at the final design. The control deflection rates are still too high and the design will have to be limited still further.

The H_{∞} theory was shown to be superior to the H2 frequency weighted linear quadratic regulator theory by achieving higher levels of plant disturbance attenuation, better suppression of plant variations and modeling errors, and wider system control bandwidth. Stability of the plant outputs was demonstrated although it was found that the plant inputs did not meet the design

specifications. The inputs failed the design specifications because the specifications are in terms of the sensitivity and complementary sensitivity functions which are formulated in terms of the plant outputs.

Actuator performance has been found to be the most severely limiting factor in the H_{∞} design and has to be more directly accounted for. Including the control deflections and/or rates in the output vector as Rogers [Ref. 6] suggested would be a way to make the design process more practical.

The promise of H_{∞} design theory may make it more practical to include higher performance actuators in future aircraft design. Faster actuators mean cost penalties and more weight. Improving the speed of the actuators must be shown to improve the capabilities and performance of the aircraft sufficiently to pay for the cost and weight penalties. A concern of using faster actuators in the past has been the excitation of flexible structural modes. An H_{∞} design which can suppress the flexible structural modes, provide independently controlled outputs, suppress disturbances and plant variations and achieve respectable control bandwidths might provide the incentive to use improved actuators.

Applying H_{∞} design to the highly maneuverable modified F-18 being tested at NASA Dryden with canards and flow deflectors would seem to be a worthwhile project for future investigation. The H_{∞} design analysis should be applied to other F-18 flight conditions.

APPENDIX A

MATLAB SCRIPT FILES

```
f18h2.m
diary f18h2.dat
format short e
          1)
disp('
disp('
           This script file is designed to solve the H2 optimal
disp('
     control ')
           problem for the F-18. The 10th order FDLTI model, in
disp('
     state ')
disp('
           space form, is that of the F-18 aircraft and actuator
     dynamics.')
disp('
           Four states are those of the aircraft dynamics, i.e.,
     alpha & q')
disp('
           The remaining 8 states are the dynamics of a fourth ')
disp('
          order and two 2nd order actuators, i.e., the stabilator,
     leading ')
disp('
            flap and trailing flap actuators. The order of the
    unbalanced ')
disp('
           states is as follows:')
disp('
disp('
                alpha, q, ds, dsdot, dsdbldot, dstrpldot, dlf,
     dlfdot,')
disp('
            dtf, dtfdot ')
disp('
disp('
         Given the open loop transfer function G(s)=Cinv(Ts-A)+D,
     a ')
disp('
          stabilizing controller F(s) will be found such that the
     H2 norm')
disp('
          of Tylul is minimized.
                                   1)
disp('
disp('
          H2 optimal control synthesis is performed to determine
     attainable')
disp('
           performance levels. Once completed, an Hinf optimal
     control ')
disp('
          synthesis is performed.')
disp('
disp('
         1)
%pause
clc
            The scaled F-18 aircraft and actuator state space
disp('
    representation')
disp('
         ')
disp('
ag=[-.114d+01 9.7938d-01 -9.9461d-02 0.0 0.0 0.0 ...
5.6206d-04 0.0 -3.9669d-03 0.0;-7.0738d+00 -.80902d+00
                            -3.008d-02
 -7.9063d-00 0.0
                  0.0 0.0
                                        0.0 -1.8786d-00 0.0;
    0.0
        0.0
            0.0
                  1.0
                       0.0
                            0.0
                                  0.0 0.0 0.0 0.0;
    0.0
        0.0
             0.0
                  0.0
                        1.0
                            0.0
                                  0.0
                                      0.0
        0.0 0.0
                  0.0
                       0.0 1d+04 0.0 0.0 0.0 0.0;
    0.0 0.0 -.14691d+04 -.49559d+02 -.16122d+01 -.1541d+03 0.0 0.0
    0.0 0.0; 0.0 0.0 0.0 0.0 0.0 0.0 1.0 0.0 0.0;
```

```
0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 -.1225d+04 -.497d+021
bq=[0.0 0.0;
   0.0 0.0;
    0.0 0.0;
 .21377d+04 0.0:
-.30532d+06 0.0;
 .27277d+04 0.0;
    0.0 0.0;
   0.0
        .22301d+04;
    0.0 0.0;
    0.0 .1225d+04]
cg=[1.0 0.0 0.0 0.0 0.0 0.0 0.0
                                      0.0
                                           0.0
                                                0.0;
    0.0 1.0 0.0 0.0 0.0 0.0 0.0
                                       0.0 0.0 0.01
dq=zeros(2)
%pause
disp('
          TY
disp('
disp('
          Calculate the poles and transmission zeros of the open
     loop plant')
disp('
          1)
poleg=eig(ag), tzerog=tzero(ag,bg,cg,dg)
disp('
disp('
          ij
disp('
          Determine the condition number of aq')
disp('
disp('
          1.)
condag=cond(ag), rcondag=rcond(ag)
disp('
         1)
disp('
%pause
disp('
disp('
                          << Design Specifications >> ')
disp(' ')
disp('
            1). Robustness Spec. : -40 dB roll-off, -20 db @ 100
     Rad/Sec. 1)
disp('
               Associated Weighting: ')
disp('
           1)
                                   1000 ')
disp('
                          -1
disp('
                                  ----- * I
                                                  (fixd)')
                        W3(s) =
disp('
                                      2 1)
disp('
                                            2x2')
                                     S
disp('
disp(' ')
disp('
              2). Performance Spec.: minimizing the sensitivity
function')
disp('
                                   as much as possible.')
disp('
               Associated Weighting: 1)
disp(' ')
disp('
                                   -1 (100s + 1) ')
disp('
                          -1
```

```
W1(s) = Gam * ---- *
disp('
disp('
                                             100
                                                          2x21)
disp('
disp('
                where "Gam" in this design is iteratively updated
     from 1')
w=logspace(-3,3,100);
k=1000; mn=[2 2]; tau=0.0;
nuw3i = [0.0 k]; dnw3i = [1.0 0 0];
svw3i = bode(nuw3i,dnw3i,w); svw3i = 20*log10(svw3i);
nuw1i = [100.0 \ 1.0]; dnw1i = [0 \ 100.0];
svwli = bode(nuwli,dnwli,w); svwli = 20*log10(svwli);
aw2=-.001*eye(2); bw2=zeros(2); cw2=zeros(2); dw2=-.001*eye(2);
disp('
disp('
disp('
                            (strike a key to see the plot of the
     weightings ...)')
%pause
semilogx(w,svwli,w,svw3i)
grid
title('F-18 Design Specifications')
xlabel('Frequency - Rad/Sec')
ylabel('1/W1 & 1/W3 - dB')
text(.01,0,'1/W1(s)')
text(.5,100,'1/W3(s)')
meta f18specs
%pause
clc
disp('
                            << Problem Formulation >>')
disp(' ')
disp('
           Form an augmented plant P(s) with these two weighting
     functions:')
disp(' ')
disp('
                     1). Gam*W1 penalizing error signal "e"!)
disp('
disp('
                     2). W3 penalizing plant output "y"')
disp('
disp('
          and find a stabilizing controller F(s) such that the H2
     norm')
disp('
         of TF Tylul is minimized, i.e.')
disp('
                               min |Ty1u1| < 1,')
disp('
disp('
                                          21)
                               F(s)
disp(' ')
disp('
            where ')
                                              -1!')
disp('
                     Ty1u1 = \{Gam*W1*(I + GF) \} = \{Gam * W1 * S
disp('
!!)
disp('
                                            -1; W3 * (I - S)
!')
disp('
                                W3*GF*(I + GF)  ')
disp('
```

```
disp('
disp('
        1)
                                           (strike a key to continue
disp('
...) ')
%pause
clc
disp('
        1).
disp(' ')
                                      << DESIGN PROCEDURE >>')
disp('
disp('
disp('
                              [Step 1]. Do plant augmentation (run
disp('
     AUGMENT.M or
disp('
                                   AUGF18.M)
         *1)
disp('
         *¹)
                         [Step 2]. Do H2 synthesis (run H2LQG.M)
disp('
         *1)
disp('
         *1)
disp('
                        [Step 3]. Redo the plant augmentation for a
        * 1)
                                   new "Gam" and rerun H2LQG.M
disp('
         *1)
disp('
         *1)
                        [Step 4]. Redo the plant augmentation for a
disp('
        *¹)
                                   higher "Gam" then run HINF.M
disp('
          *')
disp('
        * * ')
disp('
disp('
disp('
                                           (strike a key to continue
...)')
%pause
clc
disp('
         ')
disp('
         1)
disp('
                  Assign the cost coefficients "Gam" with Gam=1 ')
disp('
disp('
              1)
disp('
                  serving as the baseline design ....')
pack
gama=[6.7];
ngama=length(gama);
for i=1:ngama
Gam=gama(1,i)
k=1000
```

```
disp(' ')
disp('
                    augment % Plant augmentation of the F-18
disp('
     dynamics')
disp('
disp('
disp('
        1)
augf18
disp('
disp('
disp('
                                        (strike a key to continue
     ...)')
[ac,bc,cc,t,k1]=ctrbf(A,[B1 B2],[C1;C2]);
pause
clc
%disp('
%disp('
%disp('
          Do state space balancing on the augmented plant if
     needed')
%disp('
        • )
%disp('
          1)
%[augA,augB,augC,augD]=minreal(A,[B1B2],[C1;C2],[D11D12;D21D22])
%[abal,bbal,cbal,g,t]=obalreal(augA,augB,augC)
%[abal,bbal,cbal,g,t]=obalreal(A,[B1 B2],[C1;C2])
           B1=bbal(:,1:2), B2=bbal(:,3:4), C1=cbal(1:6,:),
%A=abal,
C2=cbal(7:8,:)
disp('
        1)
disp('
disp('
         The transmission zeros, poles and condition number of the
     augmented')
         plant follow. In addition, determine if (A,B1) & (A,B2)
disp('
     are ')
disp('
         stabilizable and if (C1,A) & (C2,A) are detectable.')
disp('
         1)
         1)
%tzeroaug=tzero(abal,bbal,cbal,dbal)
tzeroaug=tzero(A,[B1 B2],[C1;C2],[D11 D12;D21 D22])
poleaugA=eig(A)
%poleaugA=eig(abal)
condaugA=cond(A)
rcondaugA=rcond(A)
%condaugA=cond(abal)
%rcondaugA=rcond(abal)
eps=eps
toldef=10*max(size(A))*norm(A,1)*eps
%toldef=10*max(size(abal))*norm(abal,1)*eps
tol=100*eps*norm([A B1])
[Alc,Blc,Clc,t,k]=ctrbf(A,B1,Cl,tol)
tol=100*eps*norm([A B2])
```

```
[A2c,B2c,C2c,t,k]=ctrbf(A,B2,C2,tol)
tol=100*eps*norm([A;C1])
[A10,B10,C10,t,k]=obsvf(A,B1,C1,tol)
tol=100*eps*norm([A;C2])
[A20,B20,C20,t,k]=obsvf(A,B2,C2,tol)
clear condag rcondag poleg tzerog svw3i svw1i
clear condaugh rcondaugh
clear functions
%pause
disp('
disp('
d
                                  р
                          % Running script file H2LQG.M for H2
disp('
        h2lqg
     optimization')
d
           i
                                  p
aretype='Schur'
h2lqq
disp('
disp('
disp('
                                        (strike a key to continue
     ...)')
clear functions
%pause
                    % Preparing singular values for plotting
%pltopmod
%end
disp('
disp('
disp('
                                        (strike a key to continue
&pause
disp('
disp('
disp('
         State space representation of controller (acp, bcp, ccp,
     dcp) ')
disp('
             and CLTF Tylu1 (acl, bcl, ccl, dcl) and poles,
     controllability, ')
         observability, and condition number of the controller. ')
disp('
         1)
disp('
         1)
                    *preparing singular values for plotting
pltopmod
end
acp, bcp, ccp, dcp
polec=eig(acp)
tol=100*eps*norm([acp bcp])
[acpc,bcpc,ccpc,t,k]=ctrbf(acp,bcp,ccp,tol)
lc=sum(k)
pause
tol=100*eps*norm([acp;ccp])
[acpo,bcpo,ccpo,t,k]=obsvf(acp,bcp,ccp,tol)
```

```
lo=sum(k)
pause
condacp=cond(acp), rcondacp=rcond(acp)
acl,bcl,ccl,dcl
polet=eig(acl)
disp('
disp('
         1-)
disp('
                                         (strike a key to continue
     ...)')
%pause
disp('
disp('
disp('
         Open loop state space representation of controller/plant
     series')
disp('
[algf,blgf,clgf,ulgf]=series(acp,bcp,ccp,dcp,ag,bg,cg,dg)
polol=eig(algf)
disp('
disp('
disp('
                                         (strike a key to continue
     ...)')
%pause
disp('
disp('
disp('
                 Closed
                         loop state
                                        space
                                                representation
                                                                  of
     controller/plant series,')
disp('
          controllability, observability, and condition number of
     the closed')
disp('
          loop acgf matrix. ')
disp('
disp('
[acgf,bcgf,ccgf,dcgf]=feedbk(algf,blgf,clgf,dlgf,2)
tol=100*eps*norm([acgf bcgf])
[megfc,begfc,cegfc,t,k]=ctrbf(acgf,begf,cegf,tol)
tol=100*eps*norm([acgf;ccgf])
[acgfo,bcgfo,ccgfo,t,k]=obsvf(acqf,bcgf,ccqf,tol)
condacqf=cond(acqf)
disp('
         1)
disp('
         1)
disp('
                                          (strike a key to continue
     ...) 1)
%pause
disp('
disp('
          Poles of the closed loop system')
disp('
polcl=eig(acgf)
end
```

```
%f18hinf.m
diary f18hinf.dat
format short e
disp('
           f18hinf.m')
disp('
          1)
           This script file is designed to solve the Hinf optimal
disp('
     control ')
disp('
           problem for the f-18.
                                  The 10th order FDLTI model, in
     state ')
           space form, is that of the f-18 aircraft and actuator
     dynamics.')
           Two states are those of the aircraft dynamics, i.e.,
disp('
     alpha & q ')
           The remaining 8 states are the dynamics of the fourth
disp('
     order')
            stabilator, the 2nd order leading flap, and the 2nd
disp('
     order trailing')
                            The order of the unbalanced states is
disp('
           flap actuators.
     as ')
disp('
           follows: ')
disp('
disp('
            alpha, q, ds, dsdot, dsdbldot, dstrpldot,dlf,dlfdot,')
disp('
             dtf,dtfdot')
disp('
disp('
          Given the open loop transfer function G(s)=Cinv(Is-A)+D,
     a ')
disp('
          stabilizing controller F(s) will be found such that the
     Hinf norm')
disp('
           of Tylul is less than or equal to one.
disp('
disp('
         1)
pause
clc
disp('
          F-18 aircraft and actuator state space representation')
disp('
ag=[-.114d+01 9.7938d-01 -9.9461d-02 0.0 0.0 0.0 ...
5.6206d-04 0.0 -3.9669d-03 0.0;-7.0738d+00 -.80902d+00
 -7.9063d-00 0.0
                   0.0
                        0.0
                             -3.008d-02
                                         0.0 -1.8786d-00 0.0;
    0.0
         0.0
              0.0
                   1.0
                        0.0
                             0.0
                                  0.0
                                       0.0
                                            0.0
                                                 0.0;
                                            0.0
    0.0
         0.0
              0.0
                   0.0
                        1.0
                             0.0
                                  0.0
                                       0.0
                                                 0.0;
    0.0
         0.0
              0.0
                   0.0
                        0.0 1d+04 0.0 0.0 0.0 0.0;
    0.0 0.0 -.14691d+04 -.49559d+02 -.16122d+01 -.1541d+03 0.0 0.0
    0.0
         0.0; 0.0
                  0.0
                        0.0
                             0.0 0.0 0.0 0.0 1.0 0.0 0.0;
    0.0
        0.0 0.0 0.0 0.0 -.22301d+04 -.1098d+03 0.0 0.0;
    0.0
         0.0 0.0
                  0.0
                        0.0
                             0.0 0.0 0.0 0.0
                                                 1.0;
    0.0 0.0 0.0 0.0 0.0 0.0 0.0 -.1225d+04 -.497d+02];
ag(2,7) = ag(2,7) *57.296
bg = [0.0 \ 0.0;
    0.0
         0.0;
    0.0 0.0;
```

```
0.0;
 .21377d+04
-.30532d+06
             0.0;
 .27277d+04
             0.0;
    0.0
        0.0;
         .22301d+04;
    0.0
    0.0
        0.0;
    0.0 .1225d+04]
cq=[1.0
        0.0 0.0 0.0 0.0
                             0.0 0.0 0.0
                                             0.0
                                                  0.0;
        1.0
              0.0 0.0 0.0
    0.0
                             0.0
                                  0.0
                                       0.0
                                             0.0
                                                  0.01
dg=zeros(2)
%pause
disp('
poleg=eig(ag), tzerog=tzero(ag,bg,cg,dg)
disp('
          1)
disp('
disp('
           Determine determine the condition number of ag'
disp('
          1)
          ıj
disp('
condag=cond(ag), rcondag=rcond(ag), rank(ag),
pause
disp('
          1.)
disp('
%pause
disp('
                          << Design Specifications >> ')
disp('
disp(' ')
disp('
            1). Robustness Spec. : -40 dB roll-off, -20 db @ 100
     Rad/Sec.')
disp('
                Associated Weighting: ')
disp('
           1)
disp('
                          -1
                                    1000 ')
disp('
                                                    (fixd)')
                        W3(s) =
disp('
                                              2x2')
                                        2
disp('
                                              1)
                                      s
disp('
disp(' ')
disp('
              2). Performance Spec.: minimizing the sensitivity
     function')
disp('
                                    as much as possible.')
disp('
                Associated Weighting:')
disp(' ')
disp('
disp('
                                    -1.01(100s + 1)
disp('
                        W1(s) = Gam
disp('
                                                         2x2')
disp('
                                         (.01s + 1)
                                                         1)
disp('
disp(' note gamma 13.5 .01s + 1 and limited gamma 1.58 .4s +
disp('
                where "Gam" in this design is iteratively updated
     from 1')
```

```
w=logspace(-3,3,100);
k=1000.; mn=[2 2]; tau=0.0;
nuw3i = [0.0 k]; dnw3i = [1.0 0.0 0.0];
svw3i = bode(nuw3i,dnw3i,w); svw3i = 20*log10(svw3i);
nuwli = [1 .01]; dnwli =[.01 1.];
svwli = bode(nuwli,dnwli,w); svwli = 20*log10(svwli);
disp(' w2 weigning matrix 13.5 =-.001
                                        1.55 = -.018'
aw2=-0.001*eye(2); bw2=zeros(2); cw2=zeros(2); dw2=-0.001*eye(2);
disp('
disp('
disp('
                            (strike a key to see the plot of the
     weightings ...)')
%pause
semilogx(w,svw1i,w,svw3i)
grid
title('F-18 Design Specifications')
xlabel('Frequency - rad/sec')
ylabel('1/W1 & 1/W3 - db')
text(.01,0,'1/W1(s)')
text(.5,100,'1/W3(s)')
%meta f18specs
%pause
clc
disp('
                            << Problem Formulation >>')
disp(' ')
disp('
          Form an augmented plant P(s) with these two weighting
     functions:')
disp(' ')
disp('
                     1). Gam*W1 penalizing error signal "e"')
disp('
disp('
                     2). W3 penalizing plant output "y"')
disp('
disp('
         and find a stabilizing controller F(s) such that the Hinf
     norm')
disp('
         of TF Tylul is less than or equal to one, i.e.')
disp('
disp('
                                  |Ty1u1| < or = 1,'
disp('
                                        inf')
disp(' ')
disp('
            where ')
disp('
                                             -1 | ' )
disp('
                     Ty1u1 = | Gam*W1*(I + GF) | = | Gam * W1 * S
disp('
                                            -1 | W3 * (I - S)
disp('
                               W3*GF*(I + GF) | ')
disp(' ')
```

```
disp('
disp('
                                          (strike a key to continue
disp('
     ...)')
%pause
clc
disp('
disp(' ')
disp('
                                      << DESIGN PROCEDURE >>')
disp('
disp('
disp('
                             [Step 1]. Do plant augmentation (run
     AUGMENT.M or
                      *1)
disp('
                                   AUGX29.M)
         *1)
disp('
         *¹)
disp('
                         [Step 2]. Balance the augmented plant for
     better
                                   numerical condition if necessary
disp('
         *1)
disp('
         *1)
disp('
                        [Step 3]. Do Hinf synthesis with "Gam" = 1
         *1)
disp('
                   *
         *1)
disp('
                        [Step 4]. Redo the plant augmentation for a
        *!)
disp('
                                   higher "Gam" and rerun HINF.M
         * 1)
disp('
disp('
disp('
disp('
                                           (strike a key to continue
     ...)')
%pause
clc
        1)
disp('
disp('
disp('
disp('
                  Assign the cost coefficients "Gam" with Gam=1 ')
              1)
disp('
disp('
                  serving as the baseline design ....')
gama=[10.5];
ngama=length(gama);
for i=1:ngama
Gam = gama(1,i)
k=1000
disp('
        ')
```

```
disp('
                 augment % Plant augmentation of the F-18
disp('
dynamics')
disp ('
                 disp('
disp('
augf18;
disp('
disp('
disp('
                                     (strike a key to continue
...)')
%pause
clc
disp('
disp('
%disp('
            Do state space balancing on the augmented plant if
needed')
%disp('
%disp('
%[abal,bbal,cbal,g,t]=obalreal(A,[B1 B2],[C1;C2])
%A=abal,
          B1=bbal(:,1:2), B2=bbal(:,3:4), C1=cbal(1:4,:),
C2=cbal(5:6,:)
disp('
       ')
        ')
disp('
disp('
        The transmission zeros, poles and condition number of the
augmented')
       plant follow. In addition, determine if (A,B1) & (A,B2)
disp('
disp(' stabilizable and if (C1,A) & (C2,A) are detectable.')
disp(' ')
       1)
disp('
tzeroaug=tzero(A,[B1 B2],[C1;C2],[D11 D12;D21 D22]),
poleaugA=eig(A)
condaugA=cond(A), rcondaugA=rcond(A)
eps=eps
toldef=10*max(size(A))*norm(A,1)*eps
tol=100*eps*norm([A B1])
[A1c,B1c,C1c,t,k]=ctrbf(A,B1,C1,tol)
tol=100*eps*norm([A B2])
[A2c,B2c,C2c,t,k]=ctrbf(A,B2,C2,tol)
tol=100*eps*norm([A;C1])
[Alo,Blo,Clo,t,k]=obsvf(A,Bl,Cl,tol)
tol=100*eps*norm([A;C2])
[A20,B20,C20,t,k]=obsvf(A,B2,C2,tol)
clear condag rcondag poleg tzerog svw3i svw1i
clear condaugA rcondaugA
clear functions
%pause
```

```
disp('
disp('
                         % Running script file HINF.M for Hinf
disp(' hinf
     optimization')
                                 р
aretype='Schur'
hinf
disp('
disp('
disp('
                                        (strike a key to continue
    ...)')
clear functions
%pause
disp('
disp('
disp('
         State space representation of the full order controller')
disp('
            (acp, bcp, ccp, dcp) with its poles and condition
     number')
        ')
disp('
acp, bcp, ccp, dcp
polec=eig(acp)
condacp=cond(acp)
rank (acp)
toldef=10*max(size(acp))*norm(acp,1)*eps
tol=100*eps*norm([acp bcp;ccp dcp]).
        Poles, controllability, observability, and condition of
     the ')
disp('
          controller')
disp('
          1)
polet=eig(acl)
%pause
disp('
disp('
                   % Preparing singular values for plotting
pltopmod
end
disp('
disp('
disp('
                                        (strike a key to continue
...) ()
%pause
disp('
         ')
disp('
disp('
         Open loop state space representation of controller/plant
series')
disp('
[alqf,blqf,clqf,dlqf]=series(acp,bcp,ccp,dcp,ag,bg,cq,dq)
```

```
polol=eig(algf)
disp('
         1)
disp('
disp('
                                         (strike a key to continue
     ...)')
%pause
         1)
disp('
disp('
         1)
disp('
                Closed
                          loop
                                state
                                                                 of
                                        space representation
     controller/plant series,')
disp('
          controllability, observability, and condition number of
     the closed')
disp('
          loop acqf matrix. ')
disp('
disp('
         ı)
[acgf,bcgf,ccgf,dcgf]=feedbk(algf,blgf,clgf,dlgf,2)
tol=100*eps*norm([acgf bcgf])
[acgfc,bcgfc,ccgfc,t,k]=ctrbf(acgf,bcgf,ccgf,tol)
tol=100*eps*norm([acgf;ccgf])
[acgfo,bcgfo,ccgfo,t,k]=obsvf(acgf,bcgf,ccgf,tol)
condacqf=cond(acqf)
disp( !
         1)
disp('
disp('
                                         (strike a key to continue
     ...)')
%pause
disp('
          Poles of the closed loop system')
disp('
disp('
         1)
polcl=eig(acgf)
end
```

```
%augf18.m
% Plant Augmentation for the F-18 H2 and Hinf problem as W3 is not
% proper transfer function. Includes contingency for adding W2 to
% ensure d12 is full column rank. This script file is designed for
% the F-18 system without theta as a state, ie, 2 inputs & 2
     outputs.
disp('
         1)
disp('
         1)
disp('
                      << Plant Augmentation >>')
%Gam=gama(1,i)
Gam = input('
                        Input the cost coefficient "Gam" = ');
cqb = 1/k*[cq(1,:)*ag*ag;cq(2,:)*ag*ag*ag*tau+cq(2,:)*ag*ag]
dgb = 1/k*[cg(1,:)*ag*bg;cg(2,:)*ag*ag*bg*tau]
nw1 = Gam*[dnw1i;0 0;0 0;dnw1i]
dw1 = nuw1i
sysw2=[aw2 bw2;cw2 dw2]; xw2=2;
sysw2=[]; xw2=0;
%[A,B1,B2,C1,C2,D11,D12,D21,D22]=augmod(ag,bg,cq,cqb,dg,dgb,nw1,d
     w1,mn)
[A,B1,B2,C1,C2,D11,D12,D21,D22]=augf18pl(ag,bq,cq,cgb,dq,dqb,nw1,
     dw1, sysw2, xw2, mn)
disp(' ')
disp('
               - State-Space (A,B1,B2,C1,C2,D11,D12,D21,D22) is
     ready for')
disp('
                 the Small-Gain problem - - -')
% ----- End of AUGF18.M ----- %
```

```
[a,b1,b2,c1,c2,d11,d12,d21,d22]=augf18pl(ag,bg,cga,cgb,dga,dgb,nu
     m, den, sys, x, mn)
¥
ક્ષ
[A,B1,B2,C1,C2,D11,D12,D21,D22]=AUGF18PL(AG,BG,CG,CGB,DG,DGB,NUM,
     DEN, SYS, X, MN)
              produces the augmented plant for the F-18 h2 and hinf
% augf18pl
problem for
           an improper W3 weighting and W2 added to make d12 full
column rank.
옿
옿
         Weighted Plant:
ફ્ર
ક્ષ
               Xg = Ag Xg + Bg Ug
옿
옿
            |Yga| = |Cge| Xg + |Dga| Ug
ક્ષ
                    Cgt
            Ygb
                                 |Dgb|
웋
옿
         Weighting W1:
                                           Weighting W2:
웋
ક્ષ
            Xw1 = Aw1 Xw1 + Bw1 Uw1
                                             Xw2 = Aw2 Xw2 + Bw2 Uw2
옿
ક્ષ
            Yw1 = Cw1 Xw1 + Dw1 Uw1
                                              Yw2 = Cw2 Xw2 + Dw2 Uw2
ક્ષ
욯
         Over all augmented plant:
ક્ષ
ક્ષ
                                      0 !
                                                          Bg
                                                                   |U1!
           Χg
                     Ag
                               0
                                           Xg
                                                    ! 0
                                                                   | U2 |
ક્ષ
                                           Xw1
ફ
                     -Bw1Cqa
                              Aw1
                                           Xw2
                                                     Bw1 -Bw1Dga
           Xw1
ક્ષ
ક્ષ
           Xw2
                       0
                               0
                                     Aw2
                                                     0
                                                           Bw2
욯
ક્ષ
                                      0 |
                                          |Xg |
                                                   |Dwl -DwlDga|
                                                                   |U1|
           |Y1a|
                    -Dw1Cqa
                              Cw1
웋
           Y1b
                                    Cw2 | Xw1
                                                                   | U2 |
                      0
                                0
                                                    0
                                                           Dw2
왐
                                                    10
           |Y1c| =
                     Cqb
                                 0
                                           Xw2
                                                            Dqb
                                                     İI
ક્ષ
           Y2 |
                    ¦-Cga
                                 0
                                                           -Dga
% State Space of Weighting W1 & W2:
[aw1,bw1,cw1,dw1] = tfm2ss(num,den,mn(1),mn(2))
[aw2,bw2,cw2,dw2] = sys2ss(sys,x)
¥
$ State Space of Augmented Plant :
% ----- A matrix :
[rag, cag] = size(ag);
[raw1, caw1] = size(aw1);
[raw2, caw2] = size(aw2);
                                     zeros(rag,caw2);-bw1*cga
          [ag
                 zeros(rag,caw1)
                                                                    aw1
```

```
zeros(raw1, caw2);
     zeros(raw2,cag) zeros(raw2,caw1) aw2];
웋
% ----- B matrix :
[rbg,cbg] = size(bg);
[rbw1,cbw1] = size(bw1);
[rbw2,cbw2] = size(bw2);
b1 = [zeros(rbg,cbw1);bw1;zeros(rbw2,cbw1)];
b2 = [bg; -bw1*dga; bw2];
% ----- C matrix :
[rcgb,ccgb] = size(cgb);
[rcw1, ccw1] = size(cw1);
[rcw2,ccw2] = size(cw2);
          [-dw1*cga
                       CW1
                               zeros(rcw1,ccw2);zeros(rcw2,ccgb)
zeros(rcw2,ccw1) cw2;
      cgb zeros(rcgb,ccw1) zeros(rcgb,ccw2)];
[rcga,ccga] = size(cga);
c2 = [-cga zeros(rcga,ccw1) zeros(rcga,ccw2)];
% ----- D matrix :
[rdgb,cdgb] = size(dgb);
[rdw1,cdw1] = size(dw1);
[rdw2,cdw2] = size(dw2);
d11 = [dw1;zeros(rdw2,cdw1);zeros(rdgb,cdw1)];
d12 = [-dw1*dga;dw2;dgb];
[rdga,cdga] = size(dga);
d21 = eye(rdga);
d22 = -dqa;
% ----- End of AUGPL.M ---- %
```

```
%f18analy.m
diary f18analy.dat
format short e
disp('
          1)
disp('
          1)
disp('
          This script file analyzes the results of Hinf synthesis
     of the')
disp('
           F-18 MIMO model by plotting resultant system return
difference')
          singular values, calculating the poles/zeros, and making
disp('
     Bode and')
disp('
          Nyquist plots.')
disp('
          1)
          1)
disp('
disp('
          The unaugmented state space plant representation')
disp('
          ٠j
disp('
ag,bg,cg,dg
disp('
          1)
disp('
%pause
disp('
          State space representation of the controller')
disp('
          ')
disp('
          1)
acp,bcp,ccp,dcp
          1)
disp('
          1)
disp('
%pause
disp('
          Open loop state space representation of controller')
          plant series')
disp('
disp('
          1)
disp('
          1)
algf,blgf,clgf,dlgf
[alfg,blfg,clfg,dlfg]=series(ag,bg,cq,dq,acp,bcp,ccp,dcp)
disp('
disp('
disp('
             Compute singular value plot of return difference
     matrices')
disp('
          ')
disp('
          1)
w=logspace(-3,3,100);
svg=sigma(ag,bg,cg,dg,3,w); svg=20*log10(svg);
semilogx(w,svq)
title('F-18 Limited Performance SV PLOT (I + G)')
xlabel('FREQUENCY - rad/sec')
ylabel('SV - dB')
grid
meta f18sv1L
pause
svgf=sigma(algf,blgf,clgf,dlgf,3,w); svqf=20*loq10(svqf);
semilogx(w,svqf)
title('F-18 Limited Performance SV PLOT (I + GF)')
```

```
xlabel('FREQUENCY - rad/sec')
ylabel('SV - dB')
arid
meta f18sv2L
pause
svfq=siqma(alfg,blfg,clfg,dlfg,3,w); svfq=20*log10(svfg);
semilogx(w,svfg)
title('F-18 Limited Performance SV PLOT (I + FG)')
xlabel('FREQUENCY - rad/sec').
ylabel('SV - dB')
grid.
meta f18sv3L
pause
svgf=sigma(algf,blgf,clgf,dlgf,4,w); svgf=20*log10(svgf);
semilogx(w,svgf)
title('F-18 Limited Performance SV PLOT (I + inv(GF))')
xlabel('FREQUENCY - rad/sec')
ylabel('SV - dB')
grid
meta f18sv4L
pacse
sv.Eg=sigma(alfg,blfg,clfg,dlfg,4,w); svfg=20*log10(svfg);
semilogx(w,svfq)
title('F-18 Limited Performance SV PLOT (I + inv(FG))')
xlabel('FREQUENCY - rad/sec')
ylabel('SV - dB')
grid
meta f18sv5L
pause
svloop=sigma(algf,blyf,clgf,dlgf,1,w); svloop=20*log10(svloop);
semilogx(w,svloop)
title('F-18 Limited Performance SV PLOT (GF)')
xlabel('FREQUENCY - rad/sec')
ylabel('SV - dB')
grid
meta f18sv6L
pause
          1)
disp('
disp('
disp('
                 Closed
                         loop
                                state
                                        space representation
     controller/plant series')
          1)
disp('
disp('
          1)
acgf,bcgf,ccgf,dcgf
tzerocgf=tzero(acgf,bcgf,ccgf,dcgf)
          1)
disp('
disp('
%pause
disp('
            Poles and zeros of the closed loop controller/plant.
     system ')
disp('
          (acgf, bcgf, ccgf, dgcf) ')
disp('
```

```
disp('
disp('
          output alpha/q vs input 1 ')
disp('
[z,p,k]=ss2zp(acgf,bcgf,ccgf,dcgf,1)
%pause
disp('
disp('
          output alpha/q vs input 2 ')
disp('
[z,p,k]=ss2zp(acgf,bcgf,ccgf,dcgf,2)
pause
          1)
disp('
          1)
disp('
disp('
          Open loop Bode plots of outputs vs inputs')
disp('
          1)
disp('
[mag1,phase1]=bode(algf,blgf,clgf,dlgf,1,w); mag1=20*log10(mag1);
[mag2,phase2]=bode(algf,blgf,clgf,dlgf,2,w); mag2=20*log10(mag2);
semilogx(w,mag1(:,1))
title('F-18 LIMITED PERFORMNCE OPEN LOOP BODE PLOT INPUT 1 / alpha
     (GF) ')
xlabel('FREQUENCY - rad/sec')
ylabel('GAIN - dB')
grid
meta f18bode1L
pause
semilogx(w,mag1(:,2))
title('F-18 LIMITED PERFORMANCE OPEN LOOP BODE PLOT INPUT 1 / q
     (GF)')
xlabel('FREQUENCY - rad/sec')
ylabel('GAIN - dB')
grid
meta f18bode2L
pause
semilogx(w,mag2(:,1))
title('F-18 LIMITED PERFORMANCE OPEN LOOP BODE PLOT INPUT 2 / alpha
     (GF)')
xlabel('FREQUENCY - rad/sec')
ylabel('GAIN - dB')
grid
meta f18bode3L
pause
semilogx(w,mag2(:,2))
title('F-18 LIMITED PERFORMANCE OPEN LOOP BODE PLOT INPUT 2 / q
     (GF) ')
xlabel('FREQUENCY - rad/sec')
ylabel('GAIN - dB')
grid
meta fi8bode4L
          1)
disp('
disp('
          1)
disp('
          Closed loop Bode plots of outputs vs inputs')
disp('
```

```
disp('
[mag1,phase1]=bode(acgf,bcgf,ccgf,dcgf,1,w); mag1=20*log10(mag1);
[mag2,phase2]=bode(acgf,bcgf,ccgf,dcgf,2,w); mag2=20*log10(mag2);
semilogx(w,mag1(:,1))
title('F-18 LIMITED PERFORMANCE CLOSED LOOP BODE PLOT INPUT 1 /
     alpha
xlabel('FREQUENCY - rad/sec')
ylabel('GAIN - dB')
grid
meta f18bode5L
pause
semilogx(w,mag1(:,2))
title('F-18 LIMITED PERFORMANCE CLOSED LOOP BODE PLOT INPUT 1 / a
xlabel('FREQUENCY - rad/sec')
ylabel('GAIN = dB')
grid
meta f18bode6L
pause
semilogx(w,mag2(:,1))
title('F-18 LIMITED PERFORMANCE CLOSED LOOP BODE PLOT INPUT 2 /
            1.)
     alpha
xlabel('FREQUENCY - rad/sec')
ylabel('GAIN - dB')
meta f18bode7L
pause
semilogx(w,mag2(:,2))
title ('F-18 LIMITED PERFORMANCE CLOSED LOOP BODE PLOT INPUT 2 / q
xlabel('FREQUENCY - rad/sec')
ylabel('GAIN - dB')
grid
meta f18bode8L
%pause
disp('
%disp('
           1)
%disp('
           Open loop nyquist plots of outputs vs inputs')
%disp('
           1)
%disp('
w=\log (-4,5,200);
%[re1,im1]=nyquist(algf,blgf,clgf,dlgf,1,w);
%[re2,im2]=nyquist(algf,blgf,clgf,dlgf,2,w);
%re1=[re1;re1]; im1=[im1;-im1];
%re2=[re2;re2]; im2=[im2;-im2];
%plot(re1(:,1),im1(:,1))
%title('NYQUIST PLOT INPUT 1 / alpha (GF)')
%xlabel('real (GF)')
%ylabel('imag (GF)')
%grid
%meta x29nyqu
%pause
```

```
%plot(re1(:,2),im1(:,2))
%title('NYQUIST PLOT INPUT 1 / q (GF)')
%xlabel('real (GF)')
%ylabel('imag (GF)')
%grid
%meta
%pause
%plot(re2(:,1),im2(:,1))
%title('NYQUIST PLOT INPUT 2 / alpha (GF)')
%xlabel('real (GF)')
%ylabel('imag (GF)')
%grid
%meta
%pause
%plot(re2(:,2),im2(:,2))
%title('NYQUIST PLOT INPUT 2 / q (GF)')
%xlabel('real (GF)')
%ylabel('imag (GF)')
%grid
%meta
%pause
end
```

```
%f18resp.m
diary f18resp.dat
format short e
disp('
         1)
disp('
disp('
         This script file is designed to calculate and plot the
    time')
        response of the augmented F-18 (controller/plant closed
disp('
    loop series)')
        to 1 degree / 1 second step input from each of')
disp('
disp('
        the two inputs separately.')
disp('
         1)
disp('
         1)
disp('
        Setting up the time vectors!)
disp('
time=[0:0.01:4];
%ccgfwc=[zeros(5,18) stas zeros(5,6)]
%dcgfwc=zeros(5,2)
0 0;...
%ccgfwc=[zeros(8,15) stas zeros(8,6)]
%dcgfwc=zeros(8,2)
disp('
disp('
          Plotting alpha, q, ds, dlf, and dtf responses to a
    0.01745 rad / 1 1)
        second step from input one')
disp('
disp('
u=[0.01745*ones(1,101) zeros(1,300);zeros(1,401)]';
%[y]=lsim(acgf,bcgf,ccgfwc,dcgfwc,u,time)
[y,x]=lsim(acgf,bcgf,ccgf,dcgf,u,time);
%plot(time,y(:,1))
%title('F-18 alpha RESPONSE TO 0.01745 rad / 1 sec STEP (INPUT 1)
    W2=-.001')
%xlabel('TIME - sec')
%ylabel('radians')
%grid
%meta f18rsp11U
%pause
%plot(time,y(:,2))
%title('F-18 q RESPONSE TO 0.01745 rad / 1 sec STEP (INPUT 1)
    W2=-.001')
%xlabel('TIME - sec')
%ylabel('radians/second')
%grid
%meta f18rsp12U
%pause
plot(time,x(:,17))
title('F-18 DS FOR 0.01745 rad / 1 sec STEP (INPUT 1) W2=-.001')
xlabel('TIME - sec')
ylabel('radians')
```

```
arid
%meta f18rsp13L
pause
plot(time, y(:, 1), time, y(:, 2))
title('F18 OPT. RESPONSE TO 1 DEG / ONE SECOND IMPULSE (INPUT 1)')
xlabel('TIME -SEC')
ylabel('RADIANS')
text(1.2,.0102,'ALPHA RESPONSE')
text(0.3,.0012,'q RESPONSE')
grid
meta alphaq112U
pause
plot(time,x(:,21))
title('F-18 DLF FOR 0.01745 rad / 1 sec STEP (INPUT 1) W2=-.001')
xlabel('TIME - sec')
ylabel('radians')
arid
%meta f18rsp17L
pause
plot(time,x(:,23))
title('F-18 DTF FOR 0.01745 rad / 1 sec STEP (INPUT 1) W2=-.001')
xlabel('TIME - sec')
ylabel('radians')
grid
%meta f18rsp19L
pause
plot(time, x(:, 18))
title('F-18 DSDOT FOR 0.01745 rad / 1 sec STEP (INPUT 1) W2=-.001')
xlabel('TIME - sec')
ylabel('radians/second')
arid
%meta f18rsp14L
pause
plot(time, x(:, 22))
title('F-18 Lim. DLFDOT FOR 0.01745 rad / 1 sec STEP (INPUT 1)
     W2 = -.001'
xlabel('TIME - sec')
ylabel('radians/second')
grid
%meta f18rsp18L
pause
plot(time,x(:,24))
title('F-18 Lim. DTFDOT FOR 0.01745 rad / 1 sec STEP (INPUT 1)
     W2=-.001')
xlabel('TIME - sec')
ylabel('radians/second')
grid
%meta f18rsp110L
pause
disp('
disp('
          Plotting alpha, q, dc, df, and ds responses to a 0.01745
     rad / 1')
```

```
second step input from input two')
disp('
disp('
u=[zeros(1,401);0.01745*ones(1,101) zeros(1,300)]';
%[y]=lsim(acgf,bcgf,ccgfwc,dcgfwc,u,time)
[y,x]=lsim(acgf,bcgf,ccgf,dcgf,u,time);
plot(time, y(:,1), time, y(:,2))
title('F-18 OPT. RESPONSE TO 0.01745 rad/ 1 sec STEP(INPUT 2)')
xlabel('TIME - sec')
ylabel('radians')
text(1.2,.011,'q RESPONSE')
text(1.2, -.001, 'ALPHA RESPONSE')
grid
meta alphag212U
pause
%plot(time,y(:,2))
%title('F-18 q RESPONSE TO 0.01745 rad / 1 sec STEP (INPUT 2)
     W2=-.001'
%xlabel('TIME - sec')
%ylabel('radians/second')
%arid
%meta f18rsp22U
%pause
plot(time, x(:,17))
title('F-18 DS FOR 0.01745 rad / 1 sec STEP (INPUT 2) W2=-.001')
xlabel('TIME - sec')
ylabel('radians')
arid
%meta f18rsp23L
pause
plot(time, x(:,21))
title('F-18 DLF FOR 0.01745 rad / 1 sec STEP (INPUT 2) W2=-.001')
xlabel('TIME - sec')
ylabel('radians')
grid
%meta f18rsp27L
pause
plot(time,x(:,23))
title('F-18 DTF FOR 0.01745 rad / 1 sec STEP (INPUT 2) W2=-.001')
xlabel('TIME - sec')
ylabel('radians')
grid
%meta f18rsp29L
pause
plot(time,x(:,18))
title('F-18 DSDOT FOR 0.01745 rad / 1 sec STEP (INPUT 2) W2=-.001')
"label('TIME - sec')
/label('radians/second')
cid
%meta f18rsp26L
pause
plot(time,x(:,22))
title('F-18 DLFDOT FOR 0.01745 rad / 1 sec STEP
                                                         (INPUT 2)
```

```
W2=-.001')
xlabel('TIME - sec')
ylabel('radians/second')
grid
%meta f18rsp27L
pause
plot(time,x(:,24))
title('F-18 DTFDOT FOR 0.01745 rad / 1 sec STEP (INPUT 2)
W2=-.001')
xlabel('TIME - sec')
ylabel('radians/second')
grid
%meta f18rsp210L
end
```

APPENDIX B

F-18 STATE SPACE MODELS

- 1) Open Loop F-18 Plant
- 2) Optimum H∞ Closed Loop Controller
- 3) Limited Performance H∞ Closed Loop Controller

% Open Loop Plant of the F-18 >> ag

ag =

Columns 1 through 5

0	0	-9.9461e-02	9.7938e-01	-1.1400e+00
0:	0	-7.9063e+00	-8.0902e-01	-7.0738e+00
	1.0000é+00	0	0-	0
1.0000e+00	0	0	0	0
0	0	0	0-	0
-1.6122e+00	-4.9559e+01	-1.4691e+03	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0

Columns 6 through 10

0	5.6206e-04	0	-3.9669e-03	0
0	-1.7235e+00	0	-1.8786e+00	0
0	0	0	0	0
0	0	0	0	0
1.0000e+04	0	0	0	0
-1.5410e+02	0	0	0	0
0	0	1.0000e+00	0	0
0	-2.2301e+03	-1.0980e+02	0	0
0	0	0	0	1.0000e+00
0	0	0	-1.2250e+03	-4.9700e+01

>> bg

```
bg =
                          0
             0
             0
                          0
            0
                          0
   2.1377e+03
                          0
  -3.0532e+05
                          0
   2.7277e+03
                          0
             0
                           0
             0
                 2.2301e+03
             0
                 1.2250e+03
            0
>> cg
cg =
                        :0
     1
                  0
                                                        0
                                                               0
                        0
                                     0
     0-
>> dg
dg =
     0
           0
           0
>> % Poles of the F-18 Open Loop Plant
>> eig(ag)
ans =
 -9.7451e-01 + 2.6269e+00i
 -9.7451e-01 - 2.6269e+00i
 -6.2126e+01 + 8.5022e+01i
 -6.2126e+01 - 8.5022e+01i
 -1.4924e+01 + 3.3199e+01i
 -1.4924e+01 - 3.3199e+01i
 -2.6902e+01
 -8.2898e+01
 -2.4850e+01 + 2.4647e+01i
 -2.4850e+01 - 2.4647e+01i
>> diary off
```

>> % Optimal Closed Loop State Space F-18 H-Infinity Controller >> acgf

acgf =

Columns 1 through 6

-8.5374e+04	-1.0132e+04	-3.1614e+03	1.4349e+04	-6.2351e+00
3.6195e+03				_
-1.0476e+05	-1.2541e+04	-3.8866e+03	1.7514e+04	-7.5004e+00
4.2957e+03				
2.2082e+06	2.6104e+05	8.1683e+04	-3.7082e+05	1.6204e+02
-9.5204e+04				
2.0282e+02	-8.9659e+02	-3.0481e+01	-2.0145e+02	2.4393e-01
3.6679e+02				
-1.1859e-01	-6.6984e-01	-4.0737e-02	-1.9136e-01	-6.0713e-04
-2.6865e-01	0103040 01	3.07576 02	2.71500 01	0.07150 01
-5.9038e+04	-7.7319e+03	-2.2235e+03	9.7030e+03	-4.0591e+00
2.3185e+03	-/./3136±03	-2.2233e+03	3.7030eT03	-4.0591e+00
	1 2562-102	0.0000-101	0. 5450 - 100	7 7406- 01
2.2799e+02	1.3562e+03	8.0283e+01	3.7452e+02	-7.9406e-01
4.2695e+02		_		
-1.1229e+00	-6.9592e+00	-4.0987e-01	-1.9229e+00	4.0321e-03
-2.1645e+00				
-1.6276e+04	-2.5326e+03	-6.3355e+02	2.5765e+03	-9.5432e-01
5.6803e+02				
4.5355e-02	3.8317e-03	1.5852e-03	-8.4079e-03	2.2515e-05
-3.2101e-03				
-2.6327e-03	2.0579e-03	4.8972e-05	1.5237e-03	-8.1576e-06
2.1350e-03	2.03730 03	4.057.20 05	1.52576 05	0.15/00.00
5.1076e-03	4 20100-02	4 14040-04	7.3066e04	8.0206e-06
	4.2810e-03	4.1494e-04	7.3066e-04	8.02066-06
2.8272e-03	0.000.01	4 5044 . 05	0 0005 05	
1.0102e-04	2.2190e-04	1.7064e-05	9.3235e-05	-1.7261e-06
1.9550e-04				
-5.3128e-03	-1.3122e-02	-9.8395e-04	-5.1009e-03	-3.3955e-06
-1.1396e-02				
0	C	Ò	0	0
0				
0	0	0	0	0
0	•	•	•	•
0	0	0	0	0
0	v	v	· ·	· ·
•	1 00000100	-C 7501-100	2 (270-102	1 1200-100
-1.5489e+04	-1.8299e+03	-5.7521e+02	2.6270e+03	-1.1398e+00
6.1035e+02				
2.2122e+06	2.6135e+05	8.2156e+04	-3.7521e+05	1.6280e+02
-8.7174e+04				
-1.9764e+04	-2.3349e+03	-7.3397e+02	3.3521e+03	-1.4544e+00
7.7880e+Ō2				
0	0	0	0	0
0	-	_	-	_
-5.9035e+03	-5.8679e+02	-2.1394e+02	1.0604e+03	4.1411e-02
2.6132e+02	2.00.50.00		_,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	

0	. 0	0	0	0
-3.2428e+03 1.4355e+02	-3.2233e+02	-1.1752e+02	5.8248e+02	2.2747e-02
Columns 7 th	rough 12			
1.6525e+04	-8.1213e+01	-2.3231e+04	-8.5392e+05	6.9207e+06
-7.4498e+05				
2.0288e+04 -1.4361e+06	-9.•9700e+01	-2.8096e+04	-1.0350e+06	8.3615e+06
-4.2803e+05 1.7108e+07	2.1036e+03	6.0049e+05	2.2132e+07	-1.7950e+08
-3.1957e+02 2.3416e+05	1.7342e+00	-7.6547e+02	-5.8752e+03	5.6301e+04
-1.2503e-01 -9.4379e+02	6.8286e-04	3.7589e-01	2.0966e+01	-2.1836e+02
1.1240e+04 -8.0642e+05	-5.5179e+01	-1.5821e+04	-5.8270e+05	4.7162e+06
2.5915e+02 1.8520e+06	-1.4309e+00	-5.7113e+02	-4.0438e+04	4.2610e+05
-1.3490e+00	6.4342e-03	2.8740e+00	2.0374e+02	-2.1444e+03
-9.3152e+03 2.9882e+03	-1.4625e+01	-4.3413e+03	-1.5528e+05	1.2459e+06
-4.5709e+05 -9.5054e-03	3.9627e-05	1.4779e-02	-1.0894e+01	6.4179e+01
-1.9358e+01 1.1639e-03	-3,2869e-06	-4.4338e-03	-3.7177e+00	-2.5802e+01
-2.6626e+00 -7.7386e-06	8.6395e-07	-4.0636e-03	1.1824e+00	2.4380e+00
-2.1952e+01	4 5444 - 00	0:5507- 04	4 7060-100	0.040400
4.3551e-05 8.4419e-02	-4.5444e-08	-3.5537e-04	-1.7868e+00	-3.3436e+00
-2.3656e-03	9.6950e-06	2.0069e-02	-7.2702e-01	2.8198e+00
1.8088e+01 0	0	0	0	0
0	U	U	U	U
0	0	0	0	0
0	0	0	0	0
2.9858e+03 -1.2031e+05	-1.4683e+01	-4.2382e+03	-1.5529e+05	1.2595e+06
-4.2645e+05	2.0971e+03	6.0533e+05	2.2180e+07	-1.7989e+08
1.7184e+07 3.8099e+03	-1.8735e+01	-5.4079e+03	-1.9815e+05	1.6071e+06
-1.5352e+05 0	Ó	0	0	0
0 1.1873e+03	-5.7597e+00	-1.7001e+03	-1.9306e÷04	6.8154e+04
-1.8230e+06	0	0	0	0
•	•	•	•	•

0 6.5219e+02 -1.0014e+06	-3.1638e+00	-9.3384e+02	-1.0605e+04	3.7437e+04
Columns 13 t	hrough 18			
7.0693e+07 0	-8.8082e+07	6.3851e-06	5.6121e-07	0
8.6707e+07	-9.2874e+07	1.7489e-05	1.2253e-06	0
-1.8283e+09 0	2.3406e+09	1.2740e-06	9.4237e-08	0
-7.1948e+03 0	-6.7861e+06	6.4987e-06	5.0962e-07	0
1.0692e+02 0	2.7226e+04	2.1491e-08	-2.8717e-09	0
4.8902e+07	-5.2479e+07	1.4223e-05	1.0717e-06	0
-2.3186e+05	-5.3390e+07	3.2873e-06	2.4095e-07	0
1.1552e+03 0	2.6856e+05	1.7794e-08	-7.8433e-09	0
1.3509e+07 0	-7.6963e+06	-2.4679e-05	-1.9379e-06	0
6.7517e+02 0	-5.6786e+02	1.5331ē-03	-1.0727e-02	0
-2.7816e+02	3.0149e+02	-1.4656e-02	-4.8733e-02	0
7.1802e+01 0	5.2404e+02	-6.8026e-02	1.8007e-02	0
-4.1241e+01	2.8042e-02	1.3820e-01	5.5572e+00	0
5.9266e-02 0	-4.6653e+02	-2.1299e+01	5.1950e-01	0
0	0	-1.1400e+00	9.7938e-01	-9.9461e-02
0	0	-7.0738e+00	-8.0902e-01	-7.9063e+00
0	o	o	0	0
1.0000e+00 1.2829e+07	-1.6416e+07	0	0	0
0 ÷1.8323e+09	2.3446e+09	0	0	0
0 1.6369e+07	-2.0946e+07	0	0	-1.4691e+03
-4.9559e+01 0	0	0	0	0
0 5.0852e+06	4.5020e+07	0	0	0
0	0	0	0	0
0				

2.7933e+06 0	2.4730e+07	0	0	0
Columns 19	through 24			
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0 0	0	0	0	0
0 0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0	0	0	0	0
0 0	0	0	0	0
0 0		0	0	0
0		0	0	0
0		0	0	0
0 0		0	0	0
0		5.6206e-04	0	
0				-3.9669e-03
0		-1.7235e+00	0	-1.8786e+00
0		0	0	0
1.0000e+00 0		0	0	0
0		0	0	0
-1.6122e+00 0	-1.5410e+02	0	0	0
0	0	0	1.0000e+00	0
0	0	-2.2301e+03	-1.0980e+02	0
1.0000e+00	0	0	0	0
0	0	0	0	-1.2250e+03

```
>> bcgf
bcgf =
  -6.3851e-06
                 -5.6121e-07
                 -1.2253e-06
  -1.7489e-05
  -1.2740e-06
                 -9.4237e-08
  -6.4987e-06
                 -5.0962e-07
  -2.1491e-08
                  2.8717e-09
                 -1.0717e-06
  -1.4223e-05
  -3.2873e-06
                 -2.4095e-07
                  7.8433e-09
  -1.7794e-08
   2.4679e-05
                  1.9379e-06
  -1.5331e-03
                  1.0727e-02
                  4.8733e-02
   1.4656e-02
   6.8026e-02
                 -1.8007e-02
  -1.3820e-01
                 -5.5572e+00
   2.1299e+01
                 -5.1950e-01
                            0
             0
             0
                            0
                            0
             0
             0
                            0
                            0
             0
                            0
             0
                            0
             0
                            0
              0
                            0
              0
>> ccgf
ccgf =
  Columns 1 through 12
                                              0
                                                    0
                                                           0
                                                                         0
      0
            0
                   0
                          0
                                0
                                       0
   0
                                0
                                              0
                                                    0
                                                           0
                                                                  0
                                                                         0
            0
                   0
                          0
                                       0
   0
  Columns 13 through 24
                                                                         0
                                              0
                                                    0
                                                           0
                                                                  0
            0
                   1
                          0
                                0
                                       0
      0
   0
```

0 0 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 >> dcgf

dcgf =

0 0 0 0

>> diary off

>> % Limited Performance F-18 H-Infinity Closed Loop Controller >> acgf

acgf =

Columns 1 through 6

5.4853e+01	6.8308e+01	-2.4157e-03	-4.5556e+01	-1.3317e-03
2.7764e+00				
-8.2591e+02	-7.1443e+02	-1.2218e-01	4.5375 e +02	3.9671e-02
-1.2620e+01				
5.1971e-01	3.5172e-01	-1.7881e-02	-2.4551e-01	-3.0125e-05
3.2926e-03				
-9.5636e+02	-6.4519e+02	-2.2369e-01	4.5000e+02	5.6299e-02
-5.8066e+00	0010250102	2.20030 02	1100000.02	3.02330 02
-2.3815e-01	-1.5991e-01	E EE331 0E	1 1160- 01	1 7000- 00
	-1.59916-01	-5.5533e-05	1.1168e-01	-1.7986e-02
-1.4021e-03				
9.6310e+01	8.8451e+03	-3.9933e+00	-2.7804e+03	5.3889e-01
3.1452e+02				,
9.9182e+01	1.0866e+02	-1.1930e-02	-6.1211e+01	5.3155e-04
2.3513e+00				
9.5922e+01	-2.0037e+01	7.2362e-02	-1.7863e+01	-1.4373e-02
	-2.00376401	7.23026-02	-1.7003E+01	-1.43/36-02
-2.9221e+00				
-1.5046e+00	-3.3465e+00	1.3703e-03	2.3553e+00	-3.2388e-04
-1.6638e-01				
2.6692e-02	-1.7103e-01	1.9213e-04	1.1688e-01	-4.0487e-05
-9.7550e-03				
3.1661e-03	-1.2917e-03	-1.4128e-06	-1.1759e-03	2.4284e-07
	-1.23176-03	-1.41206-00	-1.1/39E-03	2.42046-07
-1.3737e-04				
-5.0138e-04	-2.2227e-04	-1.8603e-06	6.3267e-04	6.1350e-07
1.2726e-05				
-1.6750e-03	-9.6082e-04	-1.4759e-06	1.4166e-03	8.2410e-07
9.4405e-07				
-9.0621e-03	-4.9989e-03	-5.5652e-06	7.9886e-03	3.9378e-06
3.7032e-05	4.77070 05	3.30320 00	7.50000 05	3.33700 00
	•	^	•	•
0	0	0	0	0
0				
0	0	0	0	0
0				
0	0	0	0	0
0	•	•	· ·	· ·
1.4537e+00	5.2614e+01	-3.4809e-02	_1 47200101	6 74510-02
-	5.26146+01	-3:4809e-02	-1.4738e+01	6.7451e-03
2.9299e+00				
-2.0763e+02	-7.5146e+03	4.9716e+00	2.1050e+03	-9.6337e-01
-4.1847e+02				
1.8550e+00	6.7135e+01	-4.4416e-02	-1.8805e±01	8.6067e-03
3.7386e+00				
0	0	0	0	0
	U	U	U	U
0				
8.2662e+00	2.5557e+01	-5.3459e-03	-1.1852e+01	1.3675e-03
1.3263e+00				
0	0	0	0	0
-	•	•	•	•

```
4.5406e+00
                 1.4039e+01 -2.9365e-03 -6.5102e+00
                                                           7.5116e-04
 7.2854e-01
  Columns 7 through 12
   2.4278e+01
                 2.1970e+02
                              -7.4480e+02
                                             3.4531e+02
                                                          -1.2883e+03
-3.3764e+03
   1.1475e+02
                -1.5275e+03
                              -7.4494e+02
                                            -1.2081e+03
                                                           4.4261e+04
-9.2265e+04
  -9.5175e-02
                -1.7971e-01
                               5.6785e-01
                                            -2.9031e-01
                                                           1.1063e+00
 2.0911e+00
   1.6948e+02
                 3.5540e+02
                              -1.2143e+03
                                             4.9614e+02
                                                          -1.6824e+03
-5.2722e+03
   4.4274e-02
                 9.2700e-02
                              -2.9961e-01
                                             1.4758e-01
                                                          -5.4302e-01
-1.1808e+00
  -1.9125e+03
                 1.1561e+05
                              6.2290e+04
                                             7.5173e+04
                                                          -3.3642e+06
 7.1921e+06
  -5.8429e+01
                 5.4303e+02
                              -2.7287e+02
                                            -3.3831e+02
                                                          -1.2467e+04
 2.7843e+04
   5.8473e+01
                -1.2280e+03
                              -2.7012e+02
                                            -9.3798e+02
                                                           3.3546e+04
-6.8752e+04
   1.1817e+01
                -3.5695e+01
                              -1.1411e+01
                                            -9.2459e+01
                                                           1.0320e+03
-1.7296e+03
   6.9902e-01
                -2.7256e+00
                               2.7561e+00
                                            -2.5003e+00
                                                           7.5173e+01
-1.2975e+02
  -2.1093e-03
                -5.0210e-02
                              -5.9644e-02
                                            -5.4825e-02
                                                          -1.8913e+01
 4.2488e+01
   1.7545e-03
                 1.9797e-03
                              -2.0838e-02
                                             1.5471e-01
                                                          -3.4565e+00
-8.8331e+00
   3.3586e-03
                 2.9326e-03
                              -2.9569e-02
                                             4.0374e-01
                                                          -1.1778e+00
-4.0233e+00
   1.8870e-02
                 1.9025e-02
                              -1.7111e-01
                                             2.1168e+00
                                                           1.1694e+00
-5.7876e-02
                           0
                                        0
                                                       0
                                                                     0
          0
             0
                           0
                                        0
                                                      0
                                                                     0
          0
                           0
             0
                                        0
                                                       0
                                                                     0
          O
  -8.2203e+01
                 8.0439e+02
                               4.3055e+02
                                             5.2649e+02
                                                          -2.3556e+04
 5.0359e+04
   1.1741e+04
                -1.1489e+05
                              -6.1494e+04
                                            -7.5197e+04
                                                           3.3645e+06
-7.1926e+06
  -1.0489e+02
                 1.0264e+03
                               5.4938e+02
                                             6.7180e+02
                                                          -3.0058e+04
 6.4258e+04
             0
                           0
                                        0
                                                      0
                                                                     0
          0
  -5.8908e+01
                 3.1132e+02
                               4.2218e+02
                                             6.3136e+02
                                                          -1.0651e+04
 1.3720e+04
                          0
                                        0
                                                      0
                                                                     0
          0
```

-3.2358e+01 7.5365e+03	1.7101e+02	2.3191e+02	3.4681e+02	-5.8509e+03
Columns 13 t	hrough 18			
1.5165e+04 0	3.6975e+05	9.1783e-04	-1.3066e-03	0
	3.2931e+05	5.1616e-04	-7.3320e-04	0
-1.1531e+01 0	-2.5544e+02	4.9055e-07	-6.5176e-07	0
_	5.3119e+05	-7.9086e-04	1.1434e-03	0
	1.3581e+02	-3.6944e-07	5.4484e-07	0
	-3.4745e+07	-2,4893e-06	3.7570e-06	0
1.2353e+05 0	-6.7487e+04	-1.8375e-03	2.7234e-03	0
-3.0293e+05 0	1.7051e+05	-1.7620e-03	2.5693e-03	0
-8.6093e+03 0	-8.2787e⊹03	1.6318e-02	-2.4067e-02	0
-6.6522e+02	-6.4054e+02	-2.0863e-01	3.1158e-01	0
1.8930e+02 0	-2.5011e+01	-1.5373e-01	2.4114e-01	0
-2.6689e+01	1.4204e+01	-4.2717e-01	2.5781e-02	0
	9.2262e-01	3.7563e-01	8.9772e-01	0
-	-2.1468e+01	-3.2120e+00	1.0946e+00	0
0	0	-1.1400e+00	9.7938e-01	-9.9461e-02
0	0	-7.0738e+00	-8.0902e-01	-7.9063e+00
0 1.0000e+00	0	0	0	0
2.1208e+05 0	-2.4328e+05	0	0	0
-3.0290e+07 0	3.4747e+07	0	0	0
2.7061e+05 -4.9559e+01	-3.1042e+05	0	0	-1.4691e+03
0	0	0	0	Ö
1.0552e+05 0	5.0492e+05	0	0	0
0	0	0	0	0
5.7960e+04	2.7735e+05	0	0	0

Columns 19 through 24

0	0	0	0	0
(0	0	0	0
0	0	0	0	0
0	0	0	0	0
0 (0	0	0	0
0 (0	0	0	0
0 -(0	0	0	0
0 (0	0	0	0
0	0	0	0	0
0	0	0	0	0
0 (0	0	0
0		0	0	0
0		0	c	0
0		0	0	0
0		5.6206e-04	0	-3.9669e-03
0				
0		-1.7235e+00	0	-1.8786e+00
0		0	0	0
1.0000e+00		O	Ũ	0
0	1.0000e+04	0	0	0
-1.6122e+00 0	-1.5410e+02	0	0	0
0	0	0	1.0000e+00	0
0	0	-2.2301e+03	-1.0980e+02	С
1.0000e+00	0	0	0	0
-4.9700e+01	0	0	0	-1.2250e+03
1.2.000.01				

```
>> bcgf
bcgf =
                  1.3066e-03
  -9.1783e-04
  -5.1616e-04
                  7.3320e-04
  -4.9055e-07
                  6.5176e-07
                 -1.1434e-03
   7.9086e-04
   3.6944e-07
                 -5.4484e-07
   2.4893e-06
                 -3.7570e-03
   1.8375e-03
                 -2.7234e-03
   1.7620e-03
                 -2.5693e-03
  -1.6318e-02
                  2.4067e-02
                 -3.1158e-01
   2.0863e-01
   1.5373e-01
                 -2.4114e-01
   4.2717e-01
                 -2.5781e-02
  -3.7563e-01
                 -8.9772e-01
   3.2120e+00
                 -1.0946e+00
             0
                            0
                            0
             0
             0
                            0
                            0
             0
             0
                            0
                            0
             0
             0
                            0
                            0
             0
                            0
             0
             0
                            0
>> ccgf
ccgf =
  Columns 1 through 12
                                                                        Q
      0
            0
                   0
                         0
                                0
                                       C
                                             0
                                                    0
                                                                 0
   0
                                                                        0
      0
            0
                   0
                         0
                                0
                                       0
                                             0
                                                    0
                                                           0
                                                                 0
   C
```

Columns 13 through 24

```
>> dcgf
dcgf =
     0
           0
     0
           0
>> & Poles of the F-18 Limited Performance Closed Loop Controller
>> eig(acgf)
ans =
 -1.0017e+03
 -6.2126e+01 + 3.5022e+01i
 -6.2126e+01 - 8.5022e+01i
 -1.7711e+01 + 8.1027e+01i
 -1.7711e+01 - 8.1027e+01i
 -8.2898e+01
 -7.6597e+01
 -1.4924e+01 + 3.3199e+01i
 -1.4924e+01 - 3.3199e+01i
 -2.4200e+01 + 2.5758e+01i
 -2.4200e+01 - 2.5758e+01i
 -2.4850e+01 + 2.4647e+01i
 -2.4850e+01 - 2.4647e+61i
 -2.0234e+01 + 2.0813e+01i
 -2.0234e+01 - 2.0813e+01i
 -2.6902e+01
 -2.5668e+01 + 7.8886e-01i
 -2.5668e+01 - 7.8886e-01i
 -9.7451e-01 + 2.6269e+00i
 -9.7451e-01 - 2.6269e+00i
 -2.5001e+00
 -1.9977e+00
 -1.8000e-02
 -1.8000e-02
>> diary off
```

REFERENCES

1. Doyle, J. C. and Stein, G., <u>Multivariable Feedback</u>
<u>Design: Concepts for a Classical/Modern Synthesis</u>, IEEE
Transactions on Automatic Control, Vol. AC-26, No. 1, pp.
4-16, February 1981.

Ś

- 2. Safonov, M. G., <u>Stability and Robustness of Multivariable</u>
 <u>Feedback Systems</u>, p. 68, The MIT Press, 1980.
- 3. Gordon, V. C., <u>Utilization of Numerical Optimization</u>
 <u>Techniques in the Design of Robust Multi-Input Multi-Output Control Systems</u>, Ph.D. Dissertation, Naval Postgraduate School, Monterey, California, September 1984.
- 4. Postlethwaite, I., and others, <u>H∞ Control System Design:</u>

 <u>A Critical Assessment</u>, International Federation on Automatic Control, Vol. 8, pp. 328-333, 1987.
- 5. Chiang, R. Y., and Safonov, M. G., <u>Robust-Control</u> <u>Toolbox</u>, <u>User's Guide</u>, The Mathworks, Inc., June 1988.
- 6. Rogers, W. L., <u>Applications of Modern Control Theory</u>
 <u>Synthesis to a Super-Augmented Aircraft</u>, M.S. Thesis,
 Naval Postgraduate School, Monterey, California, June
 1989.
- 7. Hsu, Ta-Chieh, <u>Application of H∞ Method to Modern Fighter</u>
 <u>Configuration</u>, M.S. Thesis, Naval Postgraduate School,
 Monterey, California, December, 1989.
- 8. Rojek, F. W., <u>Development of a Mathematical Model that Simulates the Longitudinal</u>, and <u>Lateral-Directional Response of the F-18 for the Study of Flight Control Reconfiguration</u>, M. S. Thesis, Naval Postgraduate School, Monterey, California, September, 1986.
- 9. Kwaakernaak, H., and Sivan, R., <u>Linear Optimal Control</u>
 <u>Systems</u>, John Wiley and Sons, Inc., 1972.
- Safonov, M. G., Laub, A. J., Hartman, G. L., <u>Feedback</u>
 <u>Properties of Multivariable Systems: The Role and Use</u>
 <u>of the Return Difference Matrix</u>, IEEE Transactions on
 Automatic Control, Vol. AC-26, No. 1, pp. 47-65,
 February, 1981.